

# EGLC

London City


# OMDB

Dubai Intl

2024/05/19 0511Z

EGLC KOK **UL607** MATUG **UZ660** RASPU **UL984** OKG **L726** BNO **T303** MAKAL **P27** PPD **R232** KSC **W425** LASOT SR  
**W425** RUMUK **L623** BCU **N616** EVIKA **L624** ADINA **L851** KUGOS **UM860** CRM **UM688** BAYIR **UT888** ALRAM **UT36** KRD  
KRD **UT36** IMKEN **W3** KIXOB **UL223** EGSIR **T217** LAM **UL223** KIS OMDB

3020.41 nm / 5593.80 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLC	-	51.50520	0 ft	-	London City
APT	-	0.05518	0 m		
KOK	-	51.09920	35,000 ft	100	KOKSY VORTAC
DME	-	2.65472	10,668 m		
FERDI	UL607	50.91260	35,000 ft	38	-
FIX	AWY-HI	3.63697	10,668 m		
BUPAL	UL607	50.72310	35,000 ft	38	-
FIX	AWY-HI	4.60111	10,668 m		
REMBA	UL607	50.66220	35,000 ft	12	-
FIX	AWY-HI	4.91403	10,668 m		
SPI	UL607	50.51470	35,000 ft	28	SPRIMONT
VOR	AWY-HI	5.62361	10,668 m		
PELIX	UL607	50.49690	35,000 ft	5	-
FIX	AWY-HI	5.76250	10,668 m		
MATUG	UL607	50.41670	35,000 ft	23	-
FIX	AWY-HI	6.36972	10,668 m		
GUBAX	UZ660	50.29030	35,000 ft	59	-
FIX	AWY-HI	7.91120	10,668 m		
RASPU	UZ660	50.07280	35,000 ft	85	-
FIX	AWY-HI	10.09860	10,668 m		
KOMIB	UL984	50.07340	35,000 ft	5	-
FIX	AWY-HI	10.24270	10,668 m		
SULUS	UL984	50.07520	35,000 ft	18	-
FIX	AWY-HI	10.72880	10,668 m		
LONLI	UL984	50.07470	35,000 ft	19	-
FIX	AWY-HI	11.22640	10,668 m		
KULOK	UL984	50.07280	35,000 ft	15	-
FIX	AWY-HI	11.63050	10,668 m		
ABERU	UL984	50.06920	35,000 ft	17	-
FIX	AWY-HI	12.09370	10,668 m		
OKG	UL984	50.06510	35,000 ft	12	CHEB
VOR	AWY-HI	12.40570	10,668 m		
ELMEK	L726	49.90390	35,000 ft	63	-
FIX	AWY-HI	14.02990	10,668 m		
VLM	L726	49.70430	35,000 ft	41	VLASIM
VOR	AWY-HI	15.06670	10,668 m		
OSNEK	L726	49.51320	35,000 ft	25	-
FIX	AWY-HI	15.63800	10,668 m		
BODAL	L726	49.46410	35,000 ft	6	-
FIX	AWY-HI	15.78270	10,668 m		
TUMKA	L726	49.40790	35,000 ft	7	-
FIX	AWY-HI	15.94730	10,668 m		
BITSI	L726	49.30830	35,000 ft	12	-
FIX	AWY-HI	16.23630	10,668 m		
BNO	L726	49.15010	35,000 ft	20	BRNO
VOR	AWY-HI	16.69260	10,668 m		
ESETO	T303	49.22990	35,000 ft	40	-
FIX	AWY-HI	17.71830	10,668 m		
MAKAL	T303	49.24600	35,000 ft	17	-
FIX	AWY-HI	18.16570	10,668 m		
ZLA	P27	49.20290	35,000 ft	13	ZILINA
NDB	AWY-LO	18.51040	10,668 m		
RUTKI	P27	49.17330	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	18.94010	10,668 m		
LIPMU	P27	49.12310	35,000 ft	26	-
FIX	AWY-LO	19.62310	10,668 m		
PPD	P27	49.06470	35,000 ft	28	TATRY
VOR	AWY-LO	20.35010	10,668 m		
MARKA	R232	48.90220	35,000 ft	16	-
FIX	AWY-LO	20.69360	10,668 m		
KSC	R232	48.68310	35,000 ft	25	KOSICE
VOR	AWY-LO	21.24820	10,668 m		
EVULA	W425	48.66420	35,000 ft	16	-
FIX	AWY-LO	21.66280	10,668 m		
BIDLI	W425	48.65000	35,000 ft	11	-
FIX	AWY-LO	21.94920	10,668 m		
LASOT	W425	48.63470	35,000 ft	11	-
FIX	AWY-LO	22.24580	10,668 m		
SR	-	48.52110	35,000 ft	12	SEREDNIE
NDB	-	22.50890	10,668 m		
RUMUK	W425	48.02670	35,000 ft	44	-
FIX	AWY-LO	23.34330	10,668 m		
BIBOR	L623	47.26920	35,000 ft	85	-
FIX	AWY-HI	25.13920	10,668 m		
BUKUR	L623	47.12030	35,000 ft	16	-
FIX	AWY-HI	25.47860	10,668 m		
INBID	L623	46.79360	35,000 ft	35	-
FIX	AWY-HI	26.20940	10,668 m		
BCU	L623	46.51090	35,000 ft	30	BACAU
VOR	AWY-HI	26.82560	10,668 m		
TULNU	N616	46.28060	35,000 ft	15	-
FIX	AWY-HI	27.00440	10,668 m		
PELES	N616	46.21720	35,000 ft	4	-
FIX	AWY-HI	27.05330	10,668 m		
EVIKA	N616	45.61250	35,000 ft	41	-
FIX	AWY-HI	27.51390	10,668 m		
GLT	L624	45.41640	35,000 ft	21	GALATI
VOR	AWY-HI	27.92780	10,668 m		
DUNAV	L624	45.12720	35,000 ft	29	-
FIX	AWY-HI	28.48190	10,668 m		
TIRVO	L624	44.99250	35,000 ft	13	-
FIX	AWY-HI	28.73640	10,668 m		
LUPUK	L624	44.41280	35,000 ft	51	-
FIX	AWY-HI	29.61280	10,668 m		
GALMI	L624	44.13330	35,000 ft	24	-
FIX	AWY-HI	30.02560	10,668 m		
ADINA	L624	43.80330	35,000 ft	28	-
FIX	AWY-HI	30.50500	10,668 m		
BANUR	L851	43.68330	35,000 ft	21	-
FIX	AWY-HI	30.96670	10,668 m		
ROMOK	L851	43.47330	35,000 ft	35	-
FIX	AWY-HI	31.72830	10,668 m		
LAGIR	L851	43.29330	35,000 ft	27	-
FIX	AWY-HI	32.31500	10,668 m		
SUGUL	L851	43.11830	35,000 ft	30	-
FIX	AWY-HI	32.97170	10,668 m		
KUGOS	L851	42.78060	35,000 ft	53	-
FIX	AWY-HI	34.08780	10,668 m		
SIN	UM860	42.02230	35,000 ft	63	SINOP

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	35.07680	10,668 m		
CRM	UM860	41.26550	35,000 ft	80	CARSAMBA (SAMSUN)
VOR	AWY-HI	36.54890	10,668 m		
GULRA	UM688	40.37970	35,000 ft	94	-
FIX	AWY-HI	38.27940	10,668 m		
INTAB	UM688	39.94060	35,000 ft	46	-
FIX	AWY-HI	39.10190	10,668 m		
ERN	UM688	39.70840	35,000 ft	24	ERZINCAN
VOR	AWY-HI	39.52930	10,668 m		
EVSAS	UM688	39.32470	35,000 ft	38	-
FIX	AWY-HI	40.18860	10,668 m		
BAYIR	UM688	38.59470	35,000 ft	71	-
FIX	AWY-HI	41.40390	10,668 m		
ULKEM	UT888	38.11060	35,000 ft	96	-
FIX	AWY-HI	43.36470	10,668 m		
ALRAM	UT888	37.70830	35,000 ft	64	-
FIX	AWY-HI	44.62670	10,668 m		
ENEDA	UT36	35.86970	35,000 ft	141	-
FIX	AWY-HI	46.45500	10,668 m		
NOLTO	UT36	35.24310	35,000 ft	44	-
FIX	AWY-HI	46.93970	10,668 m		
KRD	UT36	33.43510	35,000 ft	127	KHORAM ABAD VOR-DME
DME	AWY-HI	48.28910	10,668 m		
KRD	-	33.43420	35,000 ft	0	KHORAM ABAD
VOR	-	48.29190	10,668 m		
DAPEM	UT36	32.85720	35,000 ft	40	-
FIX	AWY-HI	48.69970	10,668 m		
NAGRO	UT36	32.17080	35,000 ft	50	-
FIX	AWY-HI	49.26330	10,668 m		
IMKEN	UT36	31.73530	35,000 ft	31	-
FIX	AWY-HI	49.60310	10,668 m		
KIXOB	W3	31.15470	35,000 ft	54	-
FIX	AWY-HI	50.41640	10,668 m		
EGSIR	UL223	29.77080	35,000 ft	99	-
FIX	AWY-HI	51.45970	10,668 m		
RUBAK	T217	29.43810	35,000 ft	23	-
FIX	AWY-HI	51.70500	10,668 m		
TOTNO	T217	29.18110	35,000 ft	18	-
FIX	AWY-HI	51.89330	10,668 m		
DASDO	T217	28.90030	35,000 ft	19	-
FIX	AWY-HI	52.09750	10,668 m		
LAGSA	T217	28.55170	35,000 ft	24	-
FIX	AWY-HI	52.34890	10,668 m		
LAM	T217	27.37280	35,000 ft	83	LAMERD
VOR	AWY-HI	53.18400	10,668 m		
KIS	UL223	26.52520	23,100 ft	65	KISH ISLAND
VOR	AWY-HI	53.96240	7,041 m		
OMDB	-	25.25110	0 ft	107	Dubai Intl
APT	-	55.37110	0 m		

## EGLC

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 19 ft / 6 m  
Location: 51.505200 0.055176  
Magnetic Var: 0.552 E

## METAR

EGLC 190450Z AUTO VRB03KT 9999 BKN009 OVC012 12/09 Q1014

## TAF

UNKNOWN

## Frequencies

APP - 132.70 MHz - THAMES RADAR  
GND - 121.82 MHz - CITY GROUND  
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS  
TWR - 118.07 MHz - CITY TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	4,916 ft	92.88	ASPHALT	315 ft	190 ft
	30 m	1,498 m	92.33		96 m	58 m
27	98 ft	4,916 ft	272.90	ASPHALT	230 ft	302 ft
	30 m	1,498 m	272.35		70 m	92 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	DME	ILSR	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm	92.89	-	19 ft
				33 km	92.34		19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm	272.89	-	19 ft
				33 km	272.34		19 m
09	GS	ILST	111.15 MHz	10 nm	92.89	5.50	19 ft
				19 km	92.34		19 m
27	GS	ILSR	111.15 MHz	10 nm	272.89	5.50	19 ft
				19 km	272.34		19 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.354 E

## METAR

OMDB 190500Z 21006KT 110V260 CAVOK 32/21 Q1006 BECMG 27012KT

## TAF

TAF OMDB 182300Z 1900/2006 27012KT CAVOK PROB40 1900/1905 21005KT BECMG 1917/1919 20007KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m