

# LHBP

Ferihegy (Budapest)


# LEIB

Ibiza

2024/05/07 0815Z

LHBP NALOX **Y582** DIMLO **M859** LUPOS **Z713** KALMO LUKIM UNITA **A9** OLETI TALEP **UN850** POS LEIB

958.72 nm / 1775.55 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 440kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP	-	47.43529	0 ft	-	Ferihegy (Budapest)
APT	-	19.26579	0 m	-	
NALOX	-	46.86959	35,000 ft	105	-
FIX	-	16.82008	10,668 m	-	-
DIMLO	Y582	46.68349	35,000 ft	19	-
FIX	AWY-LO	16.42272	10,668 m	-	-
RATGO	M859	46.54618	35,000 ft	17	-
FIX	AWY-LO	16.03703	10,668 m	-	-
MIRSO	M859	46.47599	35,000 ft	9	-
FIX	AWY-LO	15.84198	10,668 m	-	-
VALLU	M859	46.29159	35,000 ft	23	-
FIX	AWY-LO	15.33632	10,668 m	-	-
DOL	M859	46.08414	35,000 ft	26	DOLSKO VOR-DME
VOR	AWY-LO	14.77857	10,668 m	-	
NANIS	M859	45.79099	35,000 ft	35	-
FIX	AWY-LO	14.03297	10,668 m	-	-
BARPI	M859	45.58581	35,000 ft	24	-
FIX	AWY-LO	13.52286	10,668 m	-	-
UMBK	M859	45.53333	35,000 ft	5	-
FIX	AWY-LO	13.41667	10,668 m	-	-
MONFA	M859	45.48722	35,000 ft	6	-
FIX	AWY-LO	13.27917	10,668 m	-	-
ROSKA	M859	45.31417	35,000 ft	20	-
FIX	AWY-LO	12.86167	10,668 m	-	-
TULIK	M859	45.28389	35,000 ft	3	-
FIX	AWY-LO	12.78917	10,668 m	-	-
CHI	M859	45.07109	35,000 ft	25	CHIOGGIA VOR-DME
VOR	AWY-LO	12.28140	10,668 m	-	
ROVIG	M859	44.92389	35,000 ft	18	-
FIX	AWY-LO	11.89750	10,668 m	-	-
FER	M859	44.81444	35,000 ft	13	FERRARA NDB
NDB	AWY-LO	11.61639	10,668 m	-	
BOA	M859	44.53694	35,000 ft	21	BOLOGNA VOR-DME
VOR	AWY-LO	11.29055	10,668 m	-	
LUPOS	M859	44.50472	35,000 ft	30	-
FIX	AWY-LO	10.58139	10,668 m	-	-
KALMO	Z713	44.32167	35,000 ft	43	-
FIX	AWY-LO	9.59417	10,668 m	-	-
LUKIM	-	44.14000	35,000 ft	16	-
FIX	-	9.30861	10,668 m	-	-
UNITA	-	43.94444	35,000 ft	16	-
FIX	-	9.02500	10,668 m	-	-
OLETI	A9	43.81000	35,000 ft	8	-
FIX	AWY-LO	9.00861	10,668 m	-	-
TALEP	-	43.46222	35,000 ft	24	-
FIX	-	8.71222	10,668 m	-	-
SODRI	UN850	43.01306	35,000 ft	30	-
FIX	AWY-HI	8.37194	10,668 m	-	-
ABRON	UN850	42.61417	35,000 ft	25	-
FIX	AWY-HI	8.14778	10,668 m	-	-
BALEN	UN850	40.94667	35,000 ft	148	-
FIX	AWY-HI	5.69000	10,668 m	-	-
SORAS	UN850	40.55224	35,000 ft	52	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	4.66667	10,668 m		
NELAS	UN850	40.09412	26,500 ft	59	-
FIX	AWY-HI	3.52084	8,077 m		
POS	UN850	39.92745	22,000 ft	21	POLLENSA VOR-DME
VOR	AWY-HI	3.11458	6,706 m		
LEIB	-	38.87287	0 ft	102	Ibiza
APT	-	1.37304	0 m		

## LHBP

Region: HUNGARY  
Timezone: EUROPE/BUDAPEST  
Runways: 2

Elevation: 495 ft / 151 m  
Location: 47.436900 19.255600  
Magnetic Var: 5.500 E

## METAR

LHBP 070800Z 31012KT 9999 BKN026 19/12 Q1011 NOSIG

## TAF

TAF TAF LHBP 070515Z 0706/0806 29012KT 9999 BKN020 BECMG 0707/0710 SCT035 BECMG 0714/0717 07008KT PROB40 TEMPO 07

## Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.92		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.98		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.94		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.94		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.98		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.98		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.94		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.94		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.98		495 m

## LEIB

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 38.872800 1.373130  
Magnetic Var: 1.355 E

## METAR

LEIB 070800Z 09007KT 060V130 9999 FEW030 19/13 Q1018 NOSIG

## TAF

TAF LEIB 070200Z 0703/0803 04008KT 9999 FEW020 TX21/0712Z TN14/0705Z BECMG 0710/0712 12010KT BECMG 0718/0720 2500

## Frequencies

REC - 119.80 MHz - ATIS  
TWR - 118.50 MHz - IBIZA TOWER  
APP - 134.82 MHz - PALMA APPROACH  
GND - 121.92 MHz - IBIZA GROUND  
CLD - 121.37 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.65		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.65		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.65		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.65		24 m