YMML
Melbourne Intl


-

YMMB
Melbourne Moorabbin

2024/03/19 0847Z

YMML ML YMMB

23.06 nm / 42.72 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YMML APT	–	-37.66530 144.83667	0 ft 0 m	–	Melbourne Intl
ML VOR	–	-37.66000 144.84194	100 ft 30 m	0	MELBOURNE VOR-DME
YMMB APT	–	-37.97731 145.10035	0 ft 0 m	22	Melbourne Moorabbin

YMML

Region: AUSTRALIA
Timezone: AUSTRALIA/MELBOURNE
Runways: 2

Elevation: 433 ft / 132 m
Location: -37.665500 144.837000
Magnetic Var: 11.561 E

METAR

YMML 190830Z AUTO 17009KT 9999 // SCT026 BKN033 20/16 Q1010

TAF

TAF AMD YMML 190803Z 1909/2012 17012KT 9999 -SHRA SCT025 BKN035 FM191300 25012KT 9999 -SHRA SCT015 BKN020 FM19180

Frequencies

REC - 132.67 MHz - YMML ATIS
GND - 121.70 MHz - MELBOURNE GND
APP - 132.00 MHz - MELBOURNE APP

CLD - 127.20 MHz - MELBOURNE INTL CLD
TWR - 120.50 MHz - MELBOURNE TWR
DEP - 118.90 MHz - MELBOURNE DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	7,513 ft 2,290 m	94.00 82.44	ASPHALT	0 ft 0 m	197 ft 60 m
27	148 ft 45 m	7,513 ft 2,290 m	273.98 262.42	ASPHALT	0 ft 0 m	174 ft 53 m
16	155 ft 47 m	12,012 ft 3,661 m	171.60 160.04	ASPHALT	0 ft 0 m	200 ft 61 m
34	155 ft 47 m	12,012 ft 3,661 m	351.60 340.04	ASPHALT	0 ft 0 m	200 ft 61 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IMS	109.70 MHz	18 nm 33 km	171.60 160.04	-	433 ft 433 m
27	LOC-ILS	IMW	109.30 MHz	18 nm 33 km	273.99 262.43	-	433 ft 433 m
16	GS	IMS	109.70 MHz	10 nm 19 km	171.60 160.04	3.00	433 ft 433 m
27	GS	IMW	109.30 MHz	10 nm 19 km	273.99 262.43	3.00	433 ft 433 m