


2024/05/04 0045Z

KDRO DRO HBU TUCKK CREDE POWDR LBASN TLRID MOGLS LONGS CLFFF GREYS KDEN

245.96 nm / 455.52 km



## Notes

Requested: KDRO DRO HBU TUCKK CREDE POWDR LBASN TLRID MOGLS LONGS CLFFF GREYS HIMAY KDEN

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDRO	-	37.15152	0 ft	-	DURANGO LA PLATA CO
APT	-	-107.75377	0 m		
DRO	-	37.15325	0 ft	0	DURANGO VOR-DME
VOR	-	-107.74961	0 m		
HBU	-	38.45217	0 ft	84	BLUE MESA VOR-DME
VOR	-	-107.03981	0 m		
TUCKK	-	39.10794	0 ft	57	-
FIX	-	-106.13529	0 m		
CREDE	-	39.31320	0 ft	24	-
FIX	-	-105.66900	0 m		
POWDR	-	39.39522	0 ft	10	-
FIX	-	-105.48158	0 m		
LBASN	-	39.48899	0 ft	9	-
FIX	-	-105.30364	0 m		
TLRID	-	39.54511	0 ft	5	-
FIX	-	-105.19665	0 m		
MOGLS	-	39.66611	0 ft	12	-
FIX	-	-104.96476	0 m		
LONGS	-	39.72964	0 ft	6	-
FIX	-	-104.84127	0 m		
CLFFF	-	39.92225	0 ft	11	-
FIX	-	-104.83904	0 m		
GREYS	-	40.04250	0 ft	7	-
FIX	-	-104.84033	0 m		
KDEN	-	39.86098	0 ft	13	Denver Intl
APT	-	-104.67189	0 m		

## KDRO

Region: UNITED STATES  
Timezone: AMERICA/DENVER  
Runways: 1

Elevation: 6,689 ft / 2,039 m  
Location: 37.151500 -107.754000  
Magnetic Var: 8.615 E

## METAR

KDRO 032353Z AUTO 26015G24KT 10SM FEW110 21/M07 A2993 RMK A02 PK WND 31029/2314 SLP096 T02061072 10217 20189 56008

## TAF

KDRO 032332Z 0400/0424 28016G24KT P6SM SKC FM040200 30008KT P6SM FEW120 FEW200 FM040600 04005KT P6SM SKC FM041800

## Frequencies

REC - 120.62 MHz - ASOS

COM - 122.80 MHz - CTAF/UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	150 ft	9,203 ft	37.26	ASPHALT	0 ft	200 ft
	46 m	2,805 m	28.64		0 m	61 m
21	150 ft	9,203 ft	217.27	ASPHALT	0 ft	197 ft
	46 m	2,805 m	208.66		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	IDRO	109.10 MHz	18 nm	37.27	-	6,689 ft
				33 km	28.65		6,689 m
03	GS	IDRO	109.10 MHz	10 nm	37.27	3.00	6,689 ft
				19 km	28.65		6,689 m

## KDEN

Region: UNITED STATES  
Timezone: AMERICA/DENVER  
Runways: 6

Elevation: 5,429 ft / 1,655 m  
Location: 39.861000 -104.672000  
Magnetic Var: 7.396 E

## METAR

KDEN 032353Z 04027G38KT 10SM SCT100 BKN140 BKN220 12/M01 A2992 RMK AO2 PK WND 03041/2326 SLP100 T01171006 10239 20

## TAF

KDEN 032323Z 0400/0506 02023G34KT P6SM SCT100 BKN140 FM040200 03014G22KT P6SM SCT020 BKN050 FM040600 07007KT P6SM

## Frequencies

REC - 134.02 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.75 MHz - CLEARANCE DELIVERY	GND - 121.85 MHz - DENVER GROUND
GND - 127.50 MHz - DENVER GROUND	TWR - 132.35 MHz - DENVER TOWER
TWR - 133.30 MHz - DENVER TOWER	TWR - 128.75 MHz - DENVER TOWER
TWR - 135.30 MHz - DENVER TOWER	APP - 119.30 MHz - DENVER APPROACH
APP - 120.35 MHz - DENVER APPROACH	DEP - 126.10 MHz - DENVER DEPARTURE
DEP - 127.05 MHz - DENVER DEPARTURE	DEP - 128.25 MHz - DENVER DEPARTURE
DEP - 128.45 MHz - DENVER DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	200 ft	16,016 ft	180.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	173.10		0 m	125 m
34L	200 ft	16,016 ft	0.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	353.10		0 m	125 m
16L	151 ft	12,013 ft	180.51	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.12		0 m	126 m
34R	151 ft	12,013 ft	0.51	CONCRETE	0 ft	394 ft
	46 m	3,662 m	353.12		0 m	120 m
17R	151 ft	12,013 ft	180.53	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.13		0 m	126 m
35L	151 ft	12,013 ft	0.53	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.13		0 m	122 m
17L	151 ft	12,013 ft	180.54	CONCRETE	0 ft	404 ft
	46 m	3,662 m	173.15		0 m	123 m
35R	151 ft	12,013 ft	0.54	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.15		0 m	122 m
07	151 ft	12,013 ft	90.50	CONCRETE	0 ft	377 ft
	46 m	3,662 m	83.10		0 m	115 m
25	151 ft	12,013 ft	270.52	CONCRETE	0 ft	374 ft
	46 m	3,662 m	263.13		0 m	114 m
08	151 ft	12,013 ft	90.54	CONCRETE	0 ft	367 ft
	46 m	3,662 m	83.14		0 m	112 m
26	151 ft	12,013 ft	270.56	CONCRETE	0 ft	400 ft
	46 m	3,662 m	263.17		0 m	122 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IDZG	111.55 MHz	18 nm	-	-	5,352 ft
				33 km	-		5,352 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IFUI	108.90 MHz	18 nm 33 km	- -	-	5,345 ft 5,345 m
16L	DME	ILTT	111.10 MHz	18 nm 33 km	- -	-	5,347 ft 5,347 m
16R	DME	IDQQ	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
17L	DME	IBXP	110.15 MHz	18 nm 33 km	- -	-	5,328 ft 5,328 m
17R	DME	IACX	108.50 MHz	18 nm 33 km	- -	-	5,390 ft 5,390 m
25	DME	IERP	111.55 MHz	18 nm 33 km	- -	-	5,352 ft 5,352 m
26	DME	IJOY	108.90 MHz	18 nm 33 km	- -	-	5,300 ft 5,300 m
34L	DME	IDXU	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
34R	DME	IOUF	111.10 MHz	18 nm 33 km	- -	-	5,349 ft 5,349 m
35L	DME	IAQD	108.50 MHz	18 nm 33 km	- -	-	5,421 ft 5,421 m
35R	DME	IDPP	110.15 MHz	18 nm 33 km	- -	-	5,360 ft 5,360 m
07	LOC-ILS	IDZG	111.55 MHz	18 nm 33 km	90.51 83.11	-	5,431 ft 5,431 m
08	LOC-ILS	IFUI	108.90 MHz	18 nm 33 km	90.55 83.15	-	5,431 ft 5,431 m
16L	LOC-ILS	ILTT	111.10 MHz	18 nm 33 km	180.51 173.11	-	5,431 ft 5,431 m
16R	LOC-ILS	IDQQ	111.90 MHz	18 nm 33 km	180.50 173.10	-	5,431 ft 5,431 m
17L	LOC-ILS	IBXP	110.15 MHz	18 nm 33 km	180.53 173.13	-	5,431 ft 5,431 m
17R	LOC-ILS	IACX	108.50 MHz	18 nm 33 km	180.53 173.13	-	5,431 ft 5,431 m
25	LOC-ILS	IERP	111.55 MHz	18 nm 33 km	270.51 263.11	-	5,431 ft 5,431 m
26	LOC-ILS	IJOY	108.90 MHz	18 nm 33 km	270.55 263.15	-	5,431 ft 5,431 m
34L	LOC-ILS	IDXU	111.90 MHz	18 nm 33 km	0.50 353.10	-	5,431 ft 5,431 m
34R	LOC-ILS	IOUF	111.10 MHz	18 nm 33 km	0.51 353.11	-	5,431 ft 5,431 m
35L	LOC-ILS	IAQD	108.50 MHz	18 nm 33 km	0.53 353.13	-	5,431 ft 5,431 m
35R	LOC-ILS	IDPP	110.15 MHz	18 nm 33 km	0.53 353.13	-	5,431 ft 5,431 m
07	GS	IDZG	111.55 MHz	10 nm 19 km	90.51 83.11	3.00	5,431 ft 5,431 m
08	GS	IFUI	108.90 MHz	10 nm 19 km	90.55 83.15	3.00	5,431 ft 5,431 m
16L	GS	ILTT	111.10 MHz	10 nm 19 km	180.51 173.11	3.00	5,431 ft 5,431 m
16R	GS	IDQQ	111.90 MHz	10 nm 19 km	180.50 173.10	3.00	5,431 ft 5,431 m
17L	GS	IBXP	110.15 MHz	10 nm 19 km	180.53 173.13	3.00	5,431 ft 5,431 m
17R	GS	IACX	108.50 MHz	10 nm 19 km	180.53 173.13	3.00	5,431 ft 5,431 m
25	GS	IERP	111.55 MHz	10 nm 19 km	270.51 263.11	3.00	5,431 ft 5,431 m
26	GS	IJOY	108.90 MHz	10 nm	270.55	3.00	5,431 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	263.15		5,431 m
34L	GS	IDXU	111.90 MHz	10 nm	0.50	3.00	5,431 ft
				19 km	353.10		5,431 m
34R	GS	IOUF	111.10 MHz	10 nm	0.51	3.00	5,431 ft
				19 km	353.11		5,431 m
35L	GS	IAQD	108.50 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.13		5,431 m
35R	GS	IDPP	110.15 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.13		5,431 m