


2024/05/05 0853Z

NFFN EXORA **B599** TAF NTAA

1884.19 nm / 3489.52 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NFFN	-	-17.75837	0 ft	-	Nadi Intl
APT	-	177.44215	0 m		
EXORA	-	-17.91333	33,500 ft	96	-
FIX	-	179.12667	10,211 m		
VIMEK	B599	-18.14889	35,000 ft	232	-
FIX	AWY-HI	-176.81111	10,668 m		
LASEN	B599	-18.22667	23,500 ft	103	-
FIX	AWY-HI	-175.00000	7,163 m		
LUTRA	B599	-18.35194	23,500 ft	285	-
FIX	AWY-HI	-170.00000	7,163 m		
LUGLA	B599	-18.34719	35,000 ft	285	-
FIX	AWY-HI	-165.00000	10,668 m		
LEMUN	B599	-18.06833	35,000 ft	456	-
FIX	AWY-HI	-157.00000	10,668 m		
ATURE	B599	-17.72361	25,800 ft	304	-
FIX	AWY-HI	-151.69167	7,864 m		
TAF	B599	-17.54711	9,500 ft	120	TAHITI FAAA VOR-DME
VOR	AWY-LO	-149.60150	2,896 m		
NTAA	-	-17.55377	0 ft	0	Faaa
APT	-	-149.60726	0 m		

## NFFN

Region: FIJI AND TONGA  
Timezone: PACIFIC/FIJI  
Runways: 2

Elevation: 59 ft / 18 m  
Location: -17.758600 177.442000  
Magnetic Var: 12.670 E

## METAR

NFFN 050800Z 20005KT 9999 FEW028 SCT048 BKN110 27/23 Q1008 NOSIG

## TAF

TAF NFFN 050513Z 0506/0606 18005KT 9999 SCT028 SCT048 BKN100 PROB30 TEMPO 0603/0606 5000 TSRA FEW017CB

## Frequencies

REC - 127.90 MHz - NADI ATIS  
TWR - 119.10 MHz - NADI TOWER

GND - 118.10 MHz - NADI GROUND  
APP - 119.10 MHz - NADI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	10,816 ft	37.49	ASPHALT	279 ft	0 ft
	45 m	3,297 m	24.82		85 m	0 m
20	148 ft	10,816 ft	217.49	ASPHALT	0 ft	115 ft
	45 m	3,297 m	204.82		0 m	35 m
09	148 ft	6,996 ft	104.17	ASPHALT	0 ft	102 ft
	45 m	2,132 m	91.50		0 m	31 m
27	148 ft	6,996 ft	284.17	ASPHALT	0 ft	0 ft
	45 m	2,132 m	271.50		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	INN	109.90 MHz	18 nm	37.49	-	41 ft
				33 km	24.82		41 m
02	GS	INN	109.90 MHz	10 nm	38.00	3.00	59 ft
				19 km	25.33		59 m

## NTAA

Region: FRENCH POLYNESIA  
Timezone: PACIFIC/TAHITI  
Runways: 1

Elevation: 5 ft / 2 m  
Location: -17.553700 -149.607000  
Magnetic Var: 12.883 E

## METAR

NTAA 050830Z AUTO 09003KT 060V150 9999 FEW056 SCT086 27/22 Q1014 NOSIG

## TAF

TAF NTAA 050500Z 0506/0612 VRB05KT 9999 FEW023 TEMPO 0519/0602 05015KT

## Frequencies

REC - 128.80 MHz - ATIS  
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND  
APP - 121.30 MHz - TAHITI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m