

WADD

Denpasar Ngurah Rai Intl

GIA714


YSSY

Sydney Intl

2024/05/05 0543Z

WADD BLI ATMAP CIN HERMA APOMA PKS **H319** TARAL YSSY

2543.34 nm / 4710.27 km



Notes

Requested: WADD BLI GAGAK ATMAP M082F370 A576 CIN HERMA APOMA N0480F370 A576 PKS H319 TARAL Y59 YSSY
Unmatched points: GAGAK M082F370 A576 N0480F370 A576

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WADD	-	-8.74817	0 ft	-	Denpasar Ngurah Rai Intl
APT	-	115.16717	0 m		
BLI	-	-8.75058	0 ft	0	BALI VOR-DME
VOR	-	115.16331	0 m		
ATMAP	-	-12.00000	0 ft	267	-
FIX	-	118.25500	0 m		
CIN	-	-17.58889	0 ft	467	CURTIN VOR-DME
VOR	-	123.85194	0 m		
HERMA	-	-24.01269	0 ft	633	-
FIX	-	132.81346	0 m		
APOMA	-	-29.89806	0 ft	635	-
FIX	-	142.68167	0 m		
PKS	-	-33.14528	0 ft	345	PARKES NDB
NDB	-	148.25250	0 m		
MAKKA	H319	-34.43083	0 ft	94	-
FIX	AWY-LO	149.33472	0 m		
TARAL	H319	-34.50194	0 ft	29	-
FIX	AWY-LO	149.93361	0 m		
YSSY	-	-33.94927	0 ft	70	Sydney Intl
APT	-	151.18135	0 m		

WADD

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 14 ft / 4 m
Location: -8.748400 115.167000
Magnetic Var: 0.611 E

METAR

WADD 050500Z 17006KT 100V240 9999 FEW017 30/26 Q1009 NOSIG

TAF

TAF WADD 042300Z 0500/0600 13010KT 9999 SCT017

Frequencies

REC - 126.20 MHz - ATIS
TWR - 118.10 MHz - NGURAH TOWER

GND - 118.80 MHz - NGURAH GROUND
APP - 119.70 MHz - BALI DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,828 ft	87.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	87.05		0 m	0 m
27	148 ft	9,828 ft	267.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	267.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IDPS	110.30 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
27	LOC-ILS	IDPS	110.30 MHz	18 nm	267.70	-	10 ft
				33 km	267.09		10 m
27	GS	IDPS	110.30 MHz	10 nm	268.41	3.00	12 ft
				19 km	267.80		12 m

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.671 E

METAR

YSSY 050530Z 19015KT 9999 -RA FEW010 SCT016 BKN050 17/16 Q1020

TAF

TAF YSSY 050204Z 0503/0606 17017KT 9999 -RA SCT010 BKN015 FM051800 15017KT 9999 -SHRA SCT020 BKN040 TEMPO 0503/0506 17017KT 9999 -RA FEW010 SCT016 BKN050 17/16 Q1020

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m