


2024/05/01 0614Z

LIMJ GIPIX LIRQ

108.18 nm / 200.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMJ	-	44.41196	0 ft	-	Genova Sestri
APT	-	8.84187	0 m		
GIPIX	-	44.06194	10,400 ft	59	-
FIX	-	10.12833	3,170 m		
LIRQ	-	43.80998	0 ft	48	Firenze
APT	-	11.20512	0 m		

LIMJ

Region: ITALY
Timezone: UNKNOWN
Runways: 1

Elevation: 13 ft / 4 m
Location: 44.412000 8.841870
Magnetic Var: 3.108 E

METAR

LIMJ 010550Z 09012KT 5000 RA FEW033 SCT050 16/13 Q1009

TAF

LIMJ 010500Z 0106/0206 04016KT 9999 SCT070 TEMPO 0106/0109 RA TEMPO 0109/0121 3000 TSRA BECMG 0110/0112 14012KT T

Frequencies

REC - 122.82 MHz - ATIS
TWR - 257.80 MHz - GENOVA TOWER
APP - 119.60 MHz - GENOVA APPROACH
TWR - 118.60 MHz - GENOVA TOWER
APP - 119.85 MHz - GENOVA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.23		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.26		163 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.29		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.30		26 m

LIRQ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 142 ft / 43 m
Location: 43.810000 11.205100
Magnetic Var: 3.575 E

METAR

LIRQ 010550Z 21003KT 9999 SCT040 BKN080 16/14 Q1008

TAF

LIRQ 010500Z 0106/0206 VRB05KT 9999 BKN040 TEMPO 0106/0122 4000 TSRA

Frequencies

REC - 129.35 MHz - ATIS
TWR - 122.10 MHz - FIRENZE TOWER
TWR - 118.30 MHz - FIRENZE TOWER
APP - 125.82 MHz - FIRENZE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	98 ft	5,123 ft	48.10	ASPHALT	338 ft	0 ft
	30 m	1,561 m	44.53		103 m	0 m
23	98 ft	5,123 ft	228.11	ASPHALT	1,903 ft	0 ft
	30 m	1,561 m	224.54		580 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IFZ	110.30 MHz	18 nm	-	-	144 ft
				33 km	-		144 m
05	LOC-ILS	IFZ	110.30 MHz	18 nm	48.10	-	131 ft
				33 km	44.53		131 m
05	GS	IFZ	110.30 MHz	10 nm	47.00	3.00	144 ft
				19 km	43.42		144 m