

LFPG

Paris Charles De Gaulle

—



LF0B

Beauvais-Tille

2024/05/16 2154Z

LFPG LF0B

31.95 nm / 59.18 km



Notes

Requested: LFPG LF0B

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00974	0 ft	-	Paris Charles De Gaulle
APT	-	2.56262	0 m		
LF0B	-	49.45600	0 ft	31	Beauvais-Tille
APT	-	2.11891	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.498 E

METAR

LFPG 162130Z 26005KT CAVOK 15/08 Q1008 NOSIG

TAF

TAF AMD LFPG 161831Z 1618/1724 25007KT CAVOK TX20/1714Z TN09/1704Z PROB40 TEMPO 1618/1622 4000 -SHRA BKN030TCU PR

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

LFOB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 359 ft / 109 m
Location: 49.456000 2.118930
Magnetic Var: 1.344 E

METAR

LFOB 162130Z AUTO 29001KT CAVOK 10/08 Q1007 TEMPO 0500 FG VV///

TAF

TAF LFOB 161700Z 1618/1718 23004KT 9999 FEW025 TEMPO 1618/1620 4000 SHRA BKN025CB PROB40 TEMPO 1623/1707 2000 BR F

Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.06		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m