

KEYW

Key West Intl


KTMB

Kendall Tamiami Executive

2024/05/07 0915Z

KEYW STRAP KTMB

98.64 nm / 182.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEYW APT	-	24.55612 -81.75955	0 ft 0 m	-	Key West Intl
STRAP FIX	-	24.83194 -81.58969	6,700 ft 2,042 m	18	-
KTMB APT	-	25.64782 -80.43349	0 ft 0 m	79	Kendall Tamiami Executive

KTMB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 8 ft / 2 m
Location: 25.647800 -80.433500
Magnetic Var: 7.170 W

METAR

KTMB 070853Z AUTO 12004KT 10SM CLR 24/21 A2993 RMK A02 SLP134 T02390211 56012 \$

TAF

KTMB 070847Z 0709/0806 11009KT P6SM SCT040 SCT250 FM080300 14006KT P6SM FEW040 SCT250

Frequencies

REC - 124.00 MHz - ATIS
CLD - 133.00 MHz - CLNC DEL
TWR - 134.60 MHz -
COM - 118.90 MHz - CTAF
GND - 121.70 MHz -
APP - 125.50 MHz - MIAMI APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	5,008 ft	87.28	ASPHALT	0 ft	0 ft
	46 m	1,526 m	94.45		0 m	0 m
27R	150 ft	5,008 ft	267.29	ASPHALT	0 ft	0 ft
	46 m	1,526 m	274.45		0 m	0 m
09R	150 ft	6,006 ft	87.33	ASPHALT	0 ft	184 ft
	46 m	1,831 m	94.50		0 m	56 m
27L	150 ft	6,006 ft	267.34	ASPHALT	0 ft	0 ft
	46 m	1,831 m	274.51		0 m	0 m
13	150 ft	4,005 ft	127.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	134.67		0 m	0 m
31	150 ft	4,005 ft	307.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	314.67		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	LOC-ILS	ITMB	108.70 MHz	18 nm	87.33	-	8 ft
				33 km	94.50		8 m
09R	GS	ITMB	108.70 MHz	10 nm	87.33	3.00	6 ft
				19 km	94.50		6 m