

WIII

Jakarta Sukarno-Hatta Intl


WIPP

Palembang Sultan Mahmud Badaruddin II

2024/05/08 0358Z

WIII DOLTA **A585** DOMIL WIPP

226.90 nm / 420.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
WIII	-	-6.12574	0 ft	-	Jakarta	Sukarno-Hatta Intl
APT	-	106.65640	0 m			
DOLTA	-	-5.12614	26,500 ft	74	-	
FIX	-	105.92495	8,077 m			
DOMIL	A585	-3.91892	14,800 ft	83	-	
FIX	AWY-LO	105.23827	4,511 m			
WIPP	-	-2.89766	0 ft	69	Palembang	Sultan Mahmud Badaruddin II
APT	-	104.70072	0 m			

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.529 E

METAR

WIII 080330Z VRB06KT 10000 SCT020 32/23 Q1010 NOSIG

TAF

TAF WIII 072300Z 0800/0906 19005KT 5000 HZ FEW020 BECMG 0802/0804 04010KT 8000 NSW BECMG 0814/0816 18005KT 5000 HZ

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

WIPP

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 48 ft / 15 m
Location: -2.897420 104.698000
Magnetic Var: 0.393 E

METAR

WIPP 080330Z 00000KT 9999 BKN010 26/24 Q1011 NOSIG

TAF

TAF TAF WIPP 072300Z 0800/0812 15005KT 9999 SCT010 TEMPO 0800/0803 3000 BR BKN010 TEMPO 0808/0811 3000 TSRA FEW010

Frequencies

TWR - 118.10 MHz - MAHMUD TOWER
REC - 127.20 MHz - ATIS

APP - 119.20 MHz - PALEMBANG RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,852 ft	112.87	ASPHALT	0 ft	187 ft
	45 m	3,003 m	112.48		0 m	57 m
29	148 ft	9,852 ft	292.87	ASPHALT	0 ft	190 ft
	45 m	3,003 m	292.48		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPLM	111.10 MHz	18 nm	112.87	-	48 ft
				33 km	112.48		48 m
29	LOC-ILS	IPLB	110.50 MHz	18 nm	292.87	-	48 ft
				33 km	292.48		48 m
11	GS	IPLM	111.10 MHz	10 nm	112.87	3.00	48 ft
				19 km	112.48		48 m
29	GS	IPLB	110.50 MHz	10 nm	292.87	3.00	48 ft
				19 km	292.48		48 m