


2024/05/07 0355Z

CYQY YQY YHZ YQI CYQI

292.50 nm / 541.71 km



Notes

Requested: CYQY YQY YHZ YQI CYQI

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQY	-	46.16092	0 ft	-	SYDNEY
APT	-	-60.04527	0 m		
YQY	-	46.15339	0 ft	0	SYDNEY/J.A. DOUGL VOR-DME
VOR	-	-60.05578	0 m		
YHZ	-	44.92314	0 ft	158	HALIFAX VOR-DME
VOR	-	-63.40183	0 m		
YQI	-	43.82508	0 ft	132	YARMOUTH VOR-DME
VOR	-	-66.08250	0 m		
CYQI	-	43.82806	0 ft	0	YARMOUTH
APT	-	-66.08799	0 m		

CYQY

Region: CANADA

Timezone: AMERICA/GLACE_BAY

Runways: 2

Elevation: 203 ft / 62 m

Location: 46.161600 -60.041500

Magnetic Var: 17.154 W

METAR

CYQY 070318Z 24005KT 1SM R06/P6000FT/D BR OVC002 05/05 A2971 RMK ST8 PRESFR SLP066

TAF

TAF CYQY 062341Z 0700/0712 21010KT P6SM OVC004 TEMPO 0700/0703 2SM -DZ BR FM070300 21005KT 2SM BR OVC002 PROB30 07

Frequencies

APP - 118.60 MHz - MONCTON ACC APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	200 ft	7,052 ft	45.77	ASPHALT	0 ft	0 ft
	61 m	2,149 m	62.92		0 m	0 m
25	200 ft	7,052 ft	225.78	ASPHALT	0 ft	0 ft
	61 m	2,149 m	242.94		0 m	0 m
01	151 ft	5,991 ft	345.43	ASPHALT	0 ft	0 ft
	46 m	1,826 m	2.58		0 m	0 m
19	151 ft	5,991 ft	165.42	ASPHALT	0 ft	0 ft
	46 m	1,826 m	182.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IQY	110.30 MHz	18 nm	45.78	-	203 ft
				33 km	62.93		203 m
19	LOC-ILS	INO	109.50 MHz	18 nm	165.29	-	203 ft
				33 km	182.44		203 m
07	GS	IQY	110.30 MHz	10 nm	45.78	3.00	203 ft
				19 km	62.93		203 m
19	GS	INO	109.50 MHz	10 nm	190.00	2.70	203 ft
				19 km	207.15		203 m

CYQI

Region: CANADA
Timezone: AMERICA/HALIFAX
Runways: 2

Elevation: 141 ft / 43 m
Location: 43.828100 -66.088000
Magnetic Var: 15.976 W

METAR

CYQI 070300Z 26006KT 1/4SM FG VV002 07/07 A2981 RMK FG8 SLP096

TAF

TAF AMD TAF AMD CYQI 070004Z 0700/0712 25006KT 1/2SM FG OVC002 TEMPO 0700/0711 1SM -RA -DZ BR OVC003 BECMG 0704/0712 1SM -RA -DZ BR OVC003

Frequencies

TWR - 123.00 MHz - MF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	6,006 ft	42.05	CONCRETE	0 ft	0 ft
	46 m	1,831 m	58.02		0 m	0 m
24	151 ft	6,006 ft	222.06	CONCRETE	0 ft	0 ft
	46 m	1,831 m	238.03		0 m	0 m
15	151 ft	5,024 ft	133.31	CONCRETE	0 ft	0 ft
	46 m	1,531 m	149.28		0 m	0 m
33	151 ft	5,024 ft	313.32	CONCRETE	0 ft	0 ft
	46 m	1,531 m	329.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	IQI	109.70 MHz	18 nm	222.05	-	141 ft
				33 km	238.03		141 m
24	GS	IQI	109.70 MHz	10 nm	242.11	3.00	141 ft
				19 km	258.08		141 m