

LICJ
PALERMO


—

LFPG
Paris Charles De Gaulle

2024/05/18 0150Z

LICJ GIANO ELB BETEN AOSTA **UM729** MOLUS TINIL LFPG

802.53 nm / 1486.28 km



Notes

Requested: LICJ GIANO L12 ELB M729 BETEN M621 AOSTA UM729 MOLUS UT423 IBODI UL153 GIVRI UM982 TINIL LFPG
Unmatched points: L12 M729 M621 UT423 IBODI UL153 GIVRI UM982

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICJ APT	-	38.17738 13.09704	0 ft 0 m	-	PALERMO
GIANO FIX	-	38.86917 12.44750	0 ft 0 m	51	-
ELB NDB	-	42.73250 10.39389	0 ft 0 m	250	ELBA NDB
BETEN FIX	-	43.55306 9.76833	0 ft 0 m	56	-
AOSTA FIX	-	45.79639 7.34583	0 ft 0 m	169	-
ORSUD FIX	UM729 AWY-HI	45.95778 7.18167	0 ft 0 m	11	-
MOLUS FIX	UM729 AWY-HI	46.44389 6.67944	0 ft 0 m	35	-
TINIL FIX	-	47.58889 5.09861	0 ft 0 m	94	-
LFPG APT	-	49.00974 2.56262	0 ft 0 m	132	Paris Charles De Gaulle

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.576 E

METAR

LICJ 180120Z 06004KT CAVOK 20/17 Q1010

TAF

TAF LICJ 172300Z 1800/1824 VRB05KT 9000 NSC PROB40 TEMPO 1803/1809 SHRA

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.498 E

METAR

LFPG 180130Z 31002KT CAVOK 13/10 Q1012 NOSIG

TAF

TAF LFPG 172300Z 1800/1906 02005KT CAVOK TX20/1812Z TN10/1804Z TEMPO 1800/1802 VRB02KT PROB30 TEMPO 1814/1820 400

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m