

SVMI

Caracas Simon Bolivar Intl


SVBC

GENERAL JOSE ANTONIO ANZOATEGUI INTL

2024/05/09 0813Z

SVMI PAUJI SVBC

139.42 nm / 258.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
SVMI	-	10.60312	0 ft	-	Caracas	Simon Bolivar Intl
APT	-	-66.99059	0 m			
PAUJI	-	10.42142	11,700 ft	32	-	
FIX	-	-66.46369	3,566 m			
SVBC	-	10.10976	0 ft	106	GENERAL JOSE ANTONIO ANZOATEGUI	INTL
APT	-	-64.69054	0 m			

SVMI

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 234 ft / 71 m
Location: 10.603200 -66.990400
Magnetic Var: 12.872 W

METAR

SVMI 090800Z 00000KT 9999 SCT016 SCT070 25/24 Q1011

TAF

TAF SVMI 082200Z 0900/1000 09003KT 9000 DZ SCT016 SCT020 TX33/0818Z TN24/0908Z BECMG 0900/0910 09001KT 9999 SCT01

Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - MAIQUETIA TOWER
DEP - 120.10 MHz - MAIQUETIA DEPARTURE
GND - 121.90 MHz - MAIQUETIA GROUND
APP - 120.40 MHz - MAIQUETIA APPROACH
REC - 132.85 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.00		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.77		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m

SVBC

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 25 ft / 8 m
Location: 10.108600 -64.690900
Magnetic Var: 13.970 W

METAR

UNKNOWN

TAF

TAF SVBC 082200Z 0900/1000 09001KT 9999 SCT016 TX34/0818Z TN24/0908Z BECMG 0902/0915 09008KT 9000 -DZ SCT016 SCT1

Frequencies

REC - 132.30 MHz - BARCELONA ATIS
TWR - 118.70 MHz - BARCELONA TOWER
APP - 121.10 MHz - BARCELONA APPROACH
GND - 121.90 MHz - BARCELONA GROUND
APP - 119.10 MHz - BARCELONA APPROACH
COM - 122.80 MHz - BARCELONA UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	130 ft	9,876 ft	142.62	ASPHALT	0 ft	495 ft
	40 m	3,010 m	156.59		0 m	151 m
33	130 ft	9,876 ft	322.62	ASPHALT	0 ft	0 ft
	40 m	3,010 m	336.59		0 m	0 m
02	130 ft	10,226 ft	12.47	ASPHALT	0 ft	0 ft
	40 m	3,117 m	26.44		0 m	0 m
20	130 ft	10,226 ft	192.47	ASPHALT	984 ft	0 ft
	40 m	3,117 m	206.44		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IBNA	110.90 MHz	18 nm	142.72	-	26 ft
				33 km	156.69		26 m
15	GS	IBNA	110.90 MHz	10 nm	143.48	3.00	26 ft
				19 km	157.45		26 m