


2024/05/13 0448Z

VYMK MK **V11** MIA **W1** BGO VYYY

532.20 nm / 985.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VYMK	-	25.38364	0 ft	-	MYITKYINA
APT	-	97.35235	0 m		
MK	-	25.38736	100 ft	0	MYITKYINA NDB
NDB	-	97.35617	30 m		
MIA	V11	21.71094	35,000 ft	233	MANDALAY VOR-DME
VOR	AWY-LO	95.97475	10,668 m		
BGO	W1	17.31961	7,000 ft	265	BAGO VOR-DME
VOR	AWY-LO	96.51647	2,134 m		
VYYY	-	16.91084	0 ft	32	YANGON INTL
APT	-	96.13568	0 m		

## VYYY

Region: MYANMAR  
Timezone: ASIA/RANGOON  
Runways: 1

Elevation: 110 ft / 34 m  
Location: 16.910800 96.135700  
Magnetic Var: 0.471 W

## METAR

VYYY 130400Z 26004KT 7000 FEW020 33/26 Q1010 NOSIG

## TAF

TAF TAF VYYY 122300Z 1300/1324 25008KT 7000 SCT020 FEW025CB SCT110 TEMPO 1300/1306 14005KT 4000 TSRA BKN015 FEW020

## Frequencies

REC - 128.40 MHz - ATIS  
TWR - 118.10 MHz - MINGALADON TOWER  
GND - 121.90 MHz - MINGALADON GROUND  
APP - 119.70 MHz - MINGALADON APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	200 ft	11,259 ft	33.12	ASPHALT	0 ft	0 ft
	61 m	3,432 m	33.59		0 m	0 m
21	200 ft	11,259 ft	213.13	ASPHALT	0 ft	190 ft
	61 m	3,432 m	213.60		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IYGN	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
21	LOC-ILS	IYGN	109.90 MHz	18 nm	213.13	-	110 ft
				33 km	213.60		110 m
21	GS	IYGN	109.90 MHz	10 nm	213.13	3.00	110 ft
				19 km	213.60		110 m