

EDDM

Muenchen Franz-Josef Strauss


LOWW

Wien Schwechat

2024/05/06 1647Z

EDDM LNZ LOWW

191.93 nm / 355.45 km



Notes

Basic altitude profile:

- Ascent Rate: 1200ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 70ft
- Cruise Speed: 170kts
- Descent Rate: 1200ft/min
- Descent Speed: 120kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
EDDM	-	48.35379	0 ft	-	Muenchen	Franz-Josef Strauss
APT	-	11.78612	0 m			
LNZ	-	48.22971	21,200 ft	92	LINZ	VOR-DME
VOR	-	14.10316	6,462 m			
LOWW	-	48.11007	0 ft	99	Wien	Schwechat
APT	-	16.56964	0 m			

EDDM

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 1,484 ft / 452 m
Location: 48.353800 11.786100
Magnetic Var: 3.939 E

METAR

EDDM 061620Z AUTO 26014KT 7000 +SHRA VCTS SCT008 BKN037 BKN047 FEW///CB 12/11 Q1010 RETS BECMG 26007KT NSW

TAF

TAF EDDM 061100Z 0612/0718 34008KT CAVOK TEMPO 0616/0621 RA PROB40 TEMPO 0616/0618 30020G35KT 3000 TSRA FEW010 BKN037

Frequencies

REC - 123.12 MHz - MUENCHEN ATIS	COM - 122.80 MHz - MUENCHEN UNICOM
CLD - 121.72 MHz - MUENCHEN DELIVERY	GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.82 MHz - MUENCHEN GROUND SOUTH	GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.70 MHz - MUENCHEN APRON 2	GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH	TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH	APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH	APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH	APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,135 ft	83.39	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.45		0 m	0 m
26R	197 ft	13,135 ft	263.43	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.49		0 m	0 m
08R	197 ft	13,135 ft	83.37	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.43		0 m	0 m
26L	197 ft	13,135 ft	263.41	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm	83.41	-	1,484 ft
				33 km	79.47		1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm	83.39	-	1,484 ft
				33 km	79.45		1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm	263.39	-	1,484 ft
				33 km	259.45		1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm	263.41	-	1,484 ft
				33 km	259.47		1,484 m
08L	GS	IMNE	109.50 MHz	10 nm	83.41	3.00	1,484 ft
				19 km	79.47		1,484 m
08R	GS	IMSE	109.30 MHz	10 nm	83.39	3.00	1,484 ft
				19 km	79.45		1,484 m
26L	GS	IMSW	108.30 MHz	10 nm	263.39	3.00	1,484 ft
				19 km	259.45		1,484 m
26R	GS	IMNW	108.70 MHz	10 nm	263.41	3.00	1,484 ft
				19 km	259.47		1,484 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.012 E

METAR

LOWW 061620Z 14010KT 9999 TS FEW050 FEW050CB 22/13 Q1005 TEMPO TL1720 VRB10G25KT +TSRAGR

TAF

TAF LOWW 061415Z 0615/0721 16012KT 9999 FEW050 TX23/0615Z TN13/0721Z TEMPO 0615/0622 SHRA FEW040CB BKN050 BECMG 0

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL
TWR - 124.47 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY
APP - 125.17 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION

REC - 121.72 MHz - ATIS DEPARTURE
TWR - 123.80 MHz - WIEN TOWER
TWR - 119.40 MHz - WIEN TOWER
GND - 121.60 MHz - WIEN GROUND
APP - 134.67 MHz - WIEN RADAR
APP - 129.05 MHz - WIEN RADAR
APP - 136.25 MHz - WIEN RADAR
APP - 134.12 MHz - WIEN DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.22		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.23		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.01		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.03		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.97		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m