

# KCLE

Cleveland Hopkins Intl


# KDFW

Dallas Fort Worth Intl

2024/05/06 1043Z

KCLE PROTN **J29** PXV **Q25** MEEOW **J66** DECOD KDFW

895.50 nm / 1658.46 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCLE APT	-	41.41109 -81.85223	0 ft 0 m	-	Cleveland Hopkins Intl
PROTN FIX	-	40.54047 -83.60920	34,000 ft 10,363 m	95	-
ROD VOR	J29 AWY-HI	40.28781 -84.04308	34,000 ft 10,363 m	24	ROSEWOOD VORTAC
FYLLS FIX	J29 AWY-HI	39.90675 -84.63051	34,000 ft 10,363 m	35	-
BIGXX FIX	J29 AWY-HI	39.33096 -85.49744	34,000 ft 10,363 m	52	-
KURTZ FIX	J29 AWY-HI	38.97219 -86.09265	34,000 ft 10,363 m	35	-
JUDDI FIX	J29 AWY-HI	38.75936 -86.44017	34,000 ft 10,363 m	20	-
IMPEL FIX	J29 AWY-HI	38.35955 -87.08303	34,000 ft 10,363 m	38	-
PXV DME	J29 AWY-HI	37.92832 -87.76238	34,000 ft 10,363 m	41	POCKET CITY VORTAC
WLSUN FIX	Q25 AWY-HI	37.58333 -88.13333	34,000 ft 10,363 m	27	-
ARG DME	Q25 AWY-HI	36.11002 -90.95369	34,000 ft 10,363 m	161	WALNUT RIDGE VORTAC
MEEOW FIX	Q25 AWY-HI	34.31809 -93.52359	34,000 ft 10,363 m	165	-
GLOVE FIX	J66 AWY-HI	33.87190 -95.10417	24,300 ft 7,407 m	83	-
DECOD FIX	J66 AWY-HI	33.81612 -95.29573	22,100 ft 6,736 m	10	-
KDFW APT	-	32.89711 -97.03655	0 ft 0 m	103	Dallas Fort Worth Intl

## KCLE

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 791 ft / 241 m  
Location: 41.410300 -81.853400  
Magnetic Var: 8.386 W

## METAR

KCLE 061022Z 04010KT 10SM OVC015 13/09 A3003 RMK AO2 T01330089

## TAF

KCLE 060857Z 0609/0712 01008KT P6SM OVC012 FM061200 04007KT P6SM OVC045 FM061800 03009KT P6SM BKN100 FM070400 050

## Frequencies

REC - 127.85 MHz - ATIS  
GND - 121.70 MHz - CLEVELAND GROUND  
DEP - 118.15 MHz - CLEVELAND DEPARTURE  
COM - 122.95 MHz - UNICOM  
TWR - 120.90 MHz - CLEVELAND TOWER  
APP - 124.00 MHz - CLEVELAND APPROACH  
CLD - 125.05 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m

## KDFW

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 7

Elevation: 604 ft / 184 m  
Location: 32.897200 -97.037700  
Magnetic Var: 2.732 E

## METAR

KDFW 061028Z 17011KT 10SM BKN017 BKN024 OVC035 22/20 A2979 RMK A02 T02220200 \$

## TAF

TAF AMD KDFW 060858Z 0609/0712 16009KT P6SM BKN035 FM061100 16008KT P6SM OVC025 FM061200 17011KT P6SM BKN015 TEMPO

## Frequencies

REC - 123.77 MHz - ATIS ARRIVAL	REC - 135.92 MHz - ATIS DEPARTURE
COM - 122.95 MHz - UNICOM	CLD - 128.25 MHz - CLNC DEL
GND - 121.65 MHz - RGNL GND EAST 1	GND - 121.80 MHz - RGNL GND EAST 2
GND - 121.85 MHz - RGNL GND WEST	TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 127.50 MHz - RGNL TWR EAST 2	TWR - 134.90 MHz - RGNL TWR WEST 1
TWR - 124.15 MHz - RGNL TWR WEST 2	APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.52 MHz - RGNL APP EAST 3	APP - 133.62 MHz - RGNL APP WEST 1
APP - 119.87 MHz - RGNL APP WEST 2	DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 124.82 MHz - RGNL DEP NORTH 1	DEP - 125.12 MHz - RGNL DEP SOUTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.45		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.53		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.51		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.51		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.80		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.80		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m