LECO
A Coruna


-

LELN
Leon

2024/03/19 0646Z

LECO KORET LELN

127.15 nm / 235.48 km



Notes

Basic altitude profile:
- Ascent Rate: 1000ft/min
- Ascent Speed: 130kts
- Cruise Altitude: 9000ft
- Cruise Speed: 170kts
- Descent Rate: 1000ft/min
- Descent Speed: 130kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LECO APT	–	43.30226 -8.37709	0 ft 0 m	–	A Coruna
KORET FIX	–	42.79763 -6.55014	8,800 ft 2,682 m	85	–
LELN APT	–	42.59194 -5.65419	0 ft 0 m	41	Leon

LECO

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 330 ft / 101 m
Location: 43.300700 -8.378350
Magnetic Var: 1.555 W

METAR

LECO 190630Z VRB02KT 0100 R21/0600N R03/0375N FG VV002 07/07 Q1017 NOSIG

TAF

TAF AMD LECO 190347Z 1903/2003 VRB03KT 9999 BKN016 TX15/1916Z TN08/1906Z PROB40 TEMPO 1903/1911 1500 BCFG BKN010 F

Frequencies

GND - 121.70 MHz - A CORUNA GROUND
TWR - 118.30 MHz - A CORUNA TOWER
APP - 120.20 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft 45 m	7,671 ft 2,338 m	30.83 32.38	ASPHALT	0 ft 0 m	95 ft 29 m
21	148 ft 45 m	7,671 ft 2,338 m	210.84 212.39	ASPHALT	482 ft 147 m	203 ft 62 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	LCO	109.90 MHz	18 nm 33 km	- -	-	293 ft 293 m
21	LOC-ILS	LCO	109.90 MHz	18 nm 33 km	210.84 212.39	-	330 ft 330 m
21	GS	LCO	109.90 MHz	10 nm 19 km	210.84 212.39	3.00	330 ft 330 m

LELN

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 3,006 ft / 916 m
Location: 42.591900 -5.654380
Magnetic Var: 0.636 W

METAR

LELN 190630Z AUTO 34003KT CAVOK 09/08 Q1017

TAF

TAF LELN 190200Z 1903/2003 VRB03KT 9999 FEW040 TX19/1915Z TN05/1905Z BECMG 1910/1913 20010KT BECMG 1918/1921 VRB0

Frequencies

TWR - 122.10 MHz - LEON TOWER

APP - 122.10 MHz - LEON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft 45 m	9,850 ft 3,002 m	45.23 45.87	ASPHALT	0 ft 0 m	187 ft 57 m
23	148 ft 45 m	9,850 ft 3,002 m	225.25 225.89	ASPHALT	0 ft 0 m	190 ft 58 m
06	328 ft 100 m	3,395 ft 1,035 m	59.75 60.38	DIRT	0 ft 0 m	0 ft 0 m
24	328 ft 100 m	3,395 ft 1,035 m	239.75 240.39	DIRT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	ILE	109.50 MHz	18 nm 33 km	225.22 225.86	-	3,006 ft 3,006 m
23	GS	ILE	109.50 MHz	10 nm 19 km	225.47 226.11	3.00	3,026 ft 3,026 m