

# SOCA

Cayenne Rochambeau


# LFPO

Paris Orly

2024/06/07 2029Z

SOCA 700N05000W 800N05000W BISUK 1200N04500W 1300N04500W 1400N04500W 1500N04500W 1600N04500W  
1700N04500W 2100N04000W 2200N04000W 2300N04000W 2400N04000W 2800N03500W 2900N03500W 3200N03000W  
3300N03000W VSM **H102** BEKUN 3900N02000W 15SNT ERPES **UZ25** SOPOP **UZ27** PARAV DIDIT MIMBO RIPEL **UM421**  
STG **UN741** LOTEE **A5** NTS **UN741** KEPER LFPO

4073.59 nm / 7544.28 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SOCA	-	4.81981	0 ft	-	Cayenne Rochambeau
APT	-	-52.36045	0 m	-	
700N05000W	-	7.00000	35,000 ft	192	-
LATLON	-	-50.00000	10,668 m	-	-
800N05000W	-	8.00000	35,000 ft	60	-
LATLON	-	-50.00000	10,668 m	-	-
BISUK	-	10.50000	35,000 ft	256	-
FIX	-	-46.50000	10,668 m	-	-
1200N04500W	-	12.00000	35,000 ft	126	-
LATLON	-	-45.00000	10,668 m	-	-
1300N04500W	-	13.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m	-	-
1400N04500W	-	14.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m	-	-
1500N04500W	-	15.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m	-	-
1600N04500W	-	16.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m	-	-
1700N04500W	-	17.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m	-	-
2100N04000W	-	21.00000	35,000 ft	371	-
LATLON	-	-40.00000	10,668 m	-	-
2200N04000W	-	22.00000	35,000 ft	60	-
LATLON	-	-40.00000	10,668 m	-	-
2300N04000W	-	23.00000	35,000 ft	60	-
LATLON	-	-40.00000	10,668 m	-	-
2400N04000W	-	24.00000	35,000 ft	60	-
LATLON	-	-40.00000	10,668 m	-	-
2800N03500W	-	28.00000	35,000 ft	361	-
LATLON	-	-35.00000	10,668 m	-	-
2900N03500W	-	29.00000	35,000 ft	60	-
LATLON	-	-35.00000	10,668 m	-	-
3200N03000W	-	32.00000	35,000 ft	315	-
LATLON	-	-30.00000	10,668 m	-	-
3300N03000W	-	33.00000	35,000 ft	60	-
LATLON	-	-30.00000	10,668 m	-	-
VSM	-	36.96278	35,000 ft	336	SANTA MARIA VOR-DME
VOR	-	-25.16639	10,668 m	-	
BEKUN	H102	37.94833	35,000 ft	109	-
FIX	AWY-LO	-23.23472	10,668 m	-	-
3900N02000W	-	39.00000	35,000 ft	164	-
LATLON	-	-20.00000	10,668 m	-	-
15SNT	-	40.00000	35,000 ft	194	-
FIX	-	-16.00000	10,668 m	-	-
ERPES	-	40.00000	35,000 ft	46	-
FIX	-	-15.00000	10,668 m	-	-
SOPOP	UZ25	40.44000	35,000 ft	122	-
FIX	AWY-HI	-12.38667	10,668 m	-	-
PARAV	UZ27	40.94750	35,000 ft	38	-
FIX	AWY-HI	-11.85667	10,668 m	-	-
DIDIT	-	41.32000	35,000 ft	25	-
FIX	-	-11.57167	10,668 m	-	-
MIMBO	-	41.57083	35,000 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-11.37722	10,668 m		
RIPEL	-	42.28306	35,000 ft	49	-
FIX	-	-10.81619	10,668 m		
STG	UM421	42.92687	35,000 ft	112	SANTIAGO VOR-DME
VOR	AWY-HI	-8.42539	10,668 m		
LOTEE	UN741	44.65876	35,000 ft	153	-
FIX	AWY-HI	-5.83665	10,668 m		
NORMI	A5	46.89611	35,000 ft	206	-
FIX	AWY-LO	-2.09195	10,668 m		
NTS	A5	47.16086	35,000 ft	25	NANTES ATLANTIQUE VOR-DME
VOR	AWY-LO	-1.61296	10,668 m		
ANG	UN741	47.53686	31,800 ft	38	ANGERS VOR
VOR	AWY-HI	-0.85183	9,693 m		
KEPER	UN741	47.80611	21,400 ft	48	-
FIX	AWY-HI	0.27389	6,523 m		
LFPO	-	48.72636	0 ft	100	Paris Only
APT	-	2.36703	0 m		

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.460 E

## METAR

LFPO 072000Z AUTO VRB04KT CAVOK 18/08 Q1018 NOSIG

## TAF

TAF LFPO 071700Z 0718/0824 30005KT CAVOK BECMG 0718/0721 36005KT BECMG 0809/0812 30008KT

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.32		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.88		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.91		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.84		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.85		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.85		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.34		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.90		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.34		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.90		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.91		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.85		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.34		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.90		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.34		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.90		291 m