


2024/05/20 1901Z

LIPE ELB GILET BEKOS PITOR SME LIEE

333.23 nm / 617.14 km



Notes

Requested: LIPE ELB GILET BEKOS PITOR SME LIEE

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPE APT	-	44.53545 11.28866	0 ft 0 m	-	BOLOGNA
ELB NDB	-	42.73250 10.39389	0 ft 0 m	115	ELBA NDB
GILET FIX	-	42.37528 10.21917	0 ft 0 m	22	-
BEKOS FIX	-	41.79306 9.93389	0 ft 0 m	37	-
PITOR FIX	-	41.21972 9.65694	0 ft 0 m	36	-
SME NDB	-	40.89358 9.50231	0 ft 0 m	20	SMERALDA NDB
LIEE APT	-	39.25147 9.05429	0 ft 0 m	100	Cagliari Elmas

LIPE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 123 ft / 37 m
Location: 44.535600 11.288300
Magnetic Var: 3.635 E

METAR

LIPE 201820Z AUTO 06005KT 9000 -RA BKN009/// 19/18 Q1008

TAF

TAF TAF LIPE 201700Z 2018/2118 08010KT 7000 SCT015 BKN050 TEMPO 2018/2103 3000 +TSRA BKN008 TEMPO 2103/2112 4000 T

Frequencies

REC - 134.87 MHz - ATIS
TWR - 120.80 MHz - BOLOGNA TOWER
APP - 129.90 MHz - BOLOGNA APPROACH
GND - 129.92 MHz - BOLOGNA GROUND
APP - 120.10 MHz - BOLOGNA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	9,206 ft	116.79	ASPHALT	1,017 ft	243 ft
	45 m	2,806 m	113.15		310 m	74 m
30	148 ft	9,206 ft	296.81	ASPHALT	1,188 ft	180 ft
	45 m	2,806 m	293.17		362 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BLN	108.90 MHz	18 nm	-	-	131 ft
				33 km	-		131 m
30	DME	IBBP	109.75 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
12	LOC-ILS	BLN	108.90 MHz	18 nm	116.81	-	123 ft
				33 km	113.18		123 m
30	LOC-ILS	IBBP	109.75 MHz	18 nm	296.66	-	123 ft
				33 km	293.03		123 m
12	GS	BLN	108.90 MHz	10 nm	117.59	3.00	120 ft
				19 km	113.96		120 m
30	GS	IBBP	109.75 MHz	10 nm	297.75	3.50	123 ft
				19 km	294.12		123 m

LIEE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 13 ft / 4 m
Location: 39.251500 9.054300
Magnetic Var: 2.948 E

METAR

LIEE 201820Z 35006KT 9999 -RA FEW008 16/16 Q1009

TAF

TAF LIEE 201700Z 2018/2118 33015KT 9999 SCT025 TEMPO 2018/2020 SHRA= TAF LIEO 201700Z 2018/2118 24010KT 9999 SCT0

Frequencies

REC - 127.05 MHz - ATIS
TWR - 120.60 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH

GND - 125.42 MHz - ELMAS GROUND
TWR - 122.10 MHz - ELMAS TOWER
APP - 118.75 MHz - CAGLIARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.15		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.15		13 m