

OERK

Riyadh King Khaled Intl


VOCI

COCHIN INTL

2024/05/01 0657Z

OERK R2911 OTALI SITER OTAMA NADEX KITAP TOKRA TOPSO MOGOK KEBAS GISKA UMILA GOLNI LOTAV OSIRI
IGAMA CLC CIA29 CIA28 CIA06 CIA04 ICIL VOCI

1938.95 nm / 3590.93 km



Notes

Requested: OERK R2911 OTALI SITER OTAMA NADEX KITAP TOKRA TOPSO MOGOK KEBAS GISKA UMILA GOLNI LOTAV MESANNITIX OSI

Unmatched points: MESANNITIX

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OERK	-	24.95745	0 ft	-	Riyadh King Khaled Intl
APT	-	46.69884	0 m	-	
R2911	-	24.94396	0 ft	1	-
FIX	-	46.72280	0 m	-	-
OTALI	-	24.55361	0 ft	63	-
FIX	-	47.79556	0 m	-	-
SITER	-	24.18528	0 ft	64	-
FIX	-	48.91194	0 m	-	-
OTAMA	-	23.86333	0 ft	51	-
FIX	-	49.78528	0 m	-	-
NADEX	-	23.25306	0 ft	95	-
FIX	-	51.39389	0 m	-	-
KITAP	-	22.82444	0 ft	65	-
FIX	-	52.48972	0 m	-	-
TOKRA	-	22.15694	0 ft	175	-
FIX	-	55.56389	0 m	-	-
TOPSO	-	21.94806	0 ft	45	-
FIX	-	56.34528	0 m	-	-
MOGOK	-	21.84917	0 ft	21	-
FIX	-	56.71000	0 m	-	-
KEBAS	-	21.72500	0 ft	26	-
FIX	-	57.16333	0 m	-	-
GISKA	-	21.58417	0 ft	29	-
FIX	-	57.67056	0 m	-	-
UMILA	-	21.26528	0 ft	65	-
FIX	-	58.79389	0 m	-	-
GOLNI	-	21.00389	0 ft	52	-
FIX	-	59.69167	0 m	-	-
LOTAV	-	20.61667	0 ft	74	-
FIX	-	60.95000	0 m	-	-
OSIRI	-	14.35128	0 ft	684	-
FIX	-	70.94964	0 m	-	-
IGAMA	-	13.68467	0 ft	73	-
FIX	-	71.99950	0 m	-	-
CLC	-	11.13515	0 ft	277	CALICUT VOR-DME
VOR	-	75.95485	0 m	-	
CIA29	-	10.19060	0 ft	59	-
FIX	-	76.26133	0 m	-	-
CIA28	-	10.17486	0 ft	0	-
FIX	-	76.25678	0 m	-	-
CIA06	-	10.14891	0 ft	2	-
FIX	-	76.28134	0 m	-	-
CIA04	-	10.14815	0 ft	1	-
FIX	-	76.30498	0 m	-	-
ICIL	-	10.15022	0 ft	4	ILS-cat-I
LOC-ILS	-	76.38147	0 m	-	
VOCI	-	10.15200	0 ft	1	COCHIN INTL
APT	-	76.40191	0 m	-	

OERK

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 2,048 ft / 624 m
Location: 24.957400 46.698800
Magnetic Var: 3.351 E

METAR

OERK 010600Z 15004KT 9999 BKN040 20/18 Q1013 RERA NOSIG

TAF

TAF OERK 010500Z 0106/0212 16012KT 7000 SCT040 TEMPO 0106/0118 3000 TSRA FEW035CB BKN040 BECMG 0118/0120 18008KT

Frequencies

REC - 113.30 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - GROUND	GND - 121.60 MHz - GROUND
TWR - 118.60 MHz - TOWER	TWR - 118.80 MHz - TOWER
APP - 124.10 MHz - RIYADH APPROACH	APP - 120.00 MHz - RIYADH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	197 ft	13,809 ft	150.17	CONCRETE	0 ft	387 ft
	60 m	4,209 m	146.82		0 m	118 m
33L	197 ft	13,809 ft	330.18	CONCRETE	0 ft	384 ft
	60 m	4,209 m	326.83		0 m	117 m
15L	197 ft	13,809 ft	150.18	CONCRETE	0 ft	390 ft
	60 m	4,209 m	146.83		0 m	119 m
33R	197 ft	13,809 ft	330.19	CONCRETE	0 ft	390 ft
	60 m	4,209 m	326.84		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IELF	109.50 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15R	DME	ITIH	110.50 MHz	18 nm	-	-	2,047 ft
				33 km	-		2,047 m
33L	DME	IFAT	110.10 MHz	18 nm	-	-	2,023 ft
				33 km	-		2,023 m
33R	DME	IKIA	109.10 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15L	LOC-ILS	IELF	109.50 MHz	18 nm	150.18	-	2,049 ft
				33 km	146.83		2,049 m
15R	LOC-ILS	ITIH	110.50 MHz	18 nm	150.17	-	2,046 ft
				33 km	146.82		2,046 m
33L	LOC-ILS	IFAT	110.10 MHz	18 nm	330.16	-	2,049 ft
				33 km	326.81		2,049 m
33R	LOC-ILS	IKIA	109.10 MHz	18 nm	330.18	-	2,049 ft
				33 km	326.83		2,049 m
15L	GS	IELF	109.50 MHz	10 nm	150.35	3.00	2,033 ft
				19 km	147.00		2,033 m
15R	GS	ITIH	110.50 MHz	10 nm	150.33	3.00	2,047 ft
				19 km	146.98		2,047 m
33L	GS	IFAT	110.10 MHz	10 nm	330.33	3.00	2,023 ft
				19 km	326.98		2,023 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33R	GS	IKIA	109.10 MHz	10 nm	330.35	3.00	2,023 ft
				19 km	327.00		2,023 m

VOCI

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 28 ft / 9 m
Location: 10.151100 76.400500
Magnetic Var: 1.203 W

METAR

VOCI 010630Z 18002KT 5000 HZ SCT015 35/25 Q1006 NOSIG

TAF

TAF TAF VOCI 010500Z 0106/0212 31005KT 5000 HZ SCT015 SCT080 TEMPO 0109/0111 28010KT 3000 TSRA FEW008 SCT012 FEW020

Frequencies

REC - 126.20 MHz - ATIS
TWR - 118.80 MHz - COCHIN TOWER
APP - 119.75 MHz - COCHIN APPROACH
GND - 121.75 MHz - COCHIN GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,155 ft	87.87	ASPHALT	0 ft	0 ft
	45 m	3,400 m	89.08		0 m	0 m
27	148 ft	11,155 ft	267.88	ASPHALT	0 ft	0 ft
	45 m	3,400 m	269.08		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	ICIL	110.30 MHz	18 nm	-	-	40 ft
				33 km	-		40 m
27	LOC-ILS	ICIL	110.30 MHz	18 nm	267.88	-	28 ft
				33 km	269.08		28 m
27	GS	ICIL	110.30 MHz	10 nm	267.88	3.00	28 ft
				19 km	269.08		28 m