

VTBS

Bangkok Suvarnabhumi Intl


VHHH

Hong Kong Intl

2024/05/11 0616Z

VTBS BKK A202 KRT W37 SAV A202 CH VHHH

942.39 nm / 1745.30 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBS	-	13.68046	0 ft	-	Bangkok Suvarnabhumi Intl
APT	-	100.74751	0 m		
BKK	-	13.89356	5,500 ft	15	BANGKOK VOR-DME
VOR	-	100.59619	1,676 m		
KRT	A202	14.91732	35,000 ft	108	KHORAT VOR-DME
VOR	AWY-LO	102.13981	10,668 m		
ROT	W37	16.11683	35,000 ft	118	ROI ET VOR-DME
VOR	AWY-LO	103.77207	10,668 m		
SAV	W37	16.56167	35,000 ft	63	SAVANNAKHET VOR-DME
VOR	AWY-LO	104.76556	10,668 m		
VILAO	A202	17.36667	35,000 ft	89	-
FIX	AWY-LO	106.08333	10,668 m		
DONGI	A202	17.71194	35,000 ft	38	-
FIX	AWY-LO	106.64528	10,668 m		
XONUS	A202	18.07000	35,000 ft	39	-
FIX	AWY-LO	107.23306	10,668 m		
ASSAD	A202	18.34111	35,000 ft	30	-
FIX	AWY-LO	107.68139	10,668 m		
SAMAS	A202	20.50500	35,000 ft	205	-
FIX	AWY-LO	110.49500	10,668 m		
SIKOU	A202	20.84333	35,000 ft	60	-
FIX	AWY-LO	111.50000	10,668 m		
CH	A202	22.21954	1,700 ft	163	CHEUNG CHAU VOR-DME
VOR	AWY-LO	114.03006	518 m		
VHHH	-	22.30899	0 ft	8	Hong Kong Intl
APT	-	113.91461	0 m		

VTBS

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 4 ft / 1 m
Location: 13.680800 100.748000
Magnetic Var: 0.534 W

METAR

VTBS 110600Z 21008KT 9999 FEW020CB SCT030 BKN100 29/24 Q1011 RETS NOSIG

TAF

TAF VTBS 110500Z 1106/1212 20008KT 9000 FEW020 SCT080 TEMPO 1106/1110 VRB15KT 4000 TSRA FEW018CB SCT035 BECMG 1110/1212 20008KT 9000 FEW020 SCT080

Frequencies

REC - 133.60 MHz - ATIS	TWR - 119.00 MHz - SUVARNABHUMI TOWER
TWR - 118.20 MHz - SUVARNABHUMI TOWER	GND - 121.95 MHz - SUVARNABHUMI GROUND
GND - 121.65 MHz - SUVARNABHUMI GROUND	GND - 121.75 MHz - SUVARNABHUMI GROUND
CLD - 135.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 128.70 MHz - BANGKOK CLEARANCE DELIVERY
CLD - 120.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 125.80 MHz - DON MUEANG CLEARANCE DELIVERY
CLD - 133.80 MHz - BANGKOK CLEARANCE DELIVERY	APP - 124.35 MHz - BANGKOK ARRIVAL
APP - 125.20 MHz - BANGKOK ARRIVAL	APP - 122.35 MHz - BANGKOK ARRIVAL
APP - 120.30 MHz - BANGKOK APPROACH	APP - 119.10 MHz - BANGKOK APPROACH
APP - 121.70 MHz - BANGKOK ARRIVAL	APP - 126.30 MHz - SUVARNABHUMI ARRIVAL
APP - 133.60 MHz - SUVARNABHUMI ARRIVAL	APP - 121.10 MHz - SUVARNABHUMI ARRIVAL
APP - 133.40 MHz - SUVARNABHUMI ARRIVAL	DEP - 119.25 MHz - SUVARNABHUMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	197 ft	13,189 ft	14.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	14.86		0 m	120 m
19L	197 ft	13,189 ft	194.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	194.86		0 m	120 m
01L	197 ft	12,201 ft	14.32	ASPHALT	0 ft	394 ft
	60 m	3,719 m	14.86		0 m	120 m
19R	197 ft	12,201 ft	194.32	ASPHALT	0 ft	397 ft
	60 m	3,719 m	194.86		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ISWS	109.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01R	DME	ISES	110.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19L	DME	ISEN	110.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19R	DME	ISWN	109.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01L	LOC-ILS	ISWS	109.10 MHz	18 nm	14.32	-	4 ft
				33 km	14.85		4 m
01R	LOC-ILS	ISES	110.10 MHz	18 nm	14.33	-	4 ft
				33 km	14.86		4 m
19L	LOC-ILS	ISEN	110.50 MHz	18 nm	194.33	-	4 ft
				33 km	194.86		4 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	LOC-ILS	ISWN	109.50 MHz	18 nm 33 km	194.32 194.85	-	4 ft 4 m
01L	GS	ISWS	109.10 MHz	10 nm 19 km	14.32 14.85	3.00	4 ft 4 m
01R	GS	ISES	110.10 MHz	10 nm 19 km	14.33 14.86	3.00	4 ft 4 m
19L	GS	ISEN	110.50 MHz	10 nm 19 km	194.33 194.86	3.00	4 ft 4 m
19R	GS	ISWN	109.50 MHz	10 nm 19 km	194.32 194.85	3.00	4 ft 4 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 110600Z 31007KT 9999 FEW022 SCT035 31/23 Q1013 NOSIG

TAF

TAF VHHH 110500Z 1106/1212 27010KT 9999 FEW015 SCT025 TX31/1106Z TX30/1206Z TN25/1122Z BECMG 1109/1111 15010KT TEMPO 1111/1115 20010KT 1115/1122 27010KT

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m