

# DIAP

Abidjan Felix Houphouet Boigny Intl


# DGAA

Accra\_Kotoka\_Intl

2024/05/07 1659Z

DIAP AF010 **B600** TEMBI DGAA

225.67 nm / 417.93 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
DIAP	-	5.26139	0 ft	-	Abidjan Felix Houphouet Boigny Intl	
APT	-	-3.92630	0 m			
AF010	-	5.38389	25,500 ft	71	-	
FIX	-	-2.73417	7,772 m			
TEMBI	B600	5.48389	19,700 ft	62	-	
FIX	AWY-LO	-1.70111	6,005 m			
DGAA	-	5.60258	0 ft	91	Accra_Kotoka_Intl	
APT	-	-0.16760	0 m			

## DIAP

Region: CÔTE D'IVOIRE  
Timezone: AFRICA/ABIDJAN  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 5.261240 -3.925880  
Magnetic Var: 3.999 W

## METAR

DIAP 071630Z 22007KT 9999 FEW013 FEW020CB 31/25 Q1007 TEMPO TS

## TAF

TAF AMD DIAP 071530Z 0716/0818 23010KT 9999 SCT013 PROB40 TEMPO 0716/0720 TS BKN012 FEW020CB PROB40 TEMPO 0813/0818

## Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION      TWR - 118.10 MHz - ABIDJAN TOWER  
APP - 121.10 MHz - ABIDJAN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,891 ft	22.34	ASPHALT	0 ft	187 ft
	45 m	3,015 m	26.33		0 m	57 m
21	148 ft	9,891 ft	202.34	ASPHALT	0 ft	328 ft
	45 m	3,015 m	206.34		0 m	100 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
21	LOC-ILS	AN	110.30 MHz	18 nm	202.34	-	20 ft
				33 km	206.34		20 m
21	GS	AN	110.30 MHz	10 nm	202.34	3.00	20 ft
				19 km	206.34		20 m

## DGAA

Region: GHANA  
Timezone: AFRICA/ACCRA  
Runways: 1

Elevation: 205 ft / 62 m  
Location: 5.604860 -0.167384  
Magnetic Var: 2.745 W

## METAR

DGAA 071600Z 16009KT 120V180 9999 FEW018 FEW030CB 31/25 Q1007 NOSIG

## TAF

TAF TAF DGAA 071100Z 0712/0818 18013KT 9999 SCT015 PROB30 TEMPO 0720/0800 8000 -RA BKN010 PROB30 0806/0809 27007KT

## Frequencies

REC - 113.10 MHz - ATIS  
GND - 121.90 MHz - ACCRA GROUND  
APP - 119.10 MHz - ACCRA APPROACH  
TWR - 118.60 MHz - ACCRA TOWER  
APP - 119.50 MHz - ACCRA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	190 ft	11,224 ft	22.22	ASPHALT	0 ft	344 ft
	58 m	3,421 m	24.97		0 m	105 m
21	190 ft	11,224 ft	202.22	ASPHALT	1,339 ft	184 ft
	58 m	3,421 m	204.97		408 m	56 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	IACA	109.90 MHz	18 nm	202.23	-	205 ft
				33 km	204.98		205 m
21	GS	IACA	109.90 MHz	10 nm	202.23	3.00	205 ft
				19 km	204.98		205 m