

KFXE

Fort Lauderdale Executive


MYNN

Nassau Intl

2024/05/04 1514Z

KFXE ZBV **A555** HINZY MYNN

162.74 nm / 301.40 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 189kts
- Cruise Altitude: 17000ft
- Cruise Speed: 228kts
- Descent Rate: 1200ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFXE APT	-	26.19698 -80.17044	0 ft 0 m	-	Fort Lauderdale Executive
ZBV VOR	-	25.70417 -79.29444	19,900 ft 6,066 m	55	BIMINI VORTAC
RAJAY FIX	A555 AWY-LO	25.30077 -78.18597	9,000 ft 2,743 m	64	-
PRUNE FIX	A555 AWY-LO	25.21577 -77.95617	6,100 ft 1,859 m	13	-
HINZY FIX	A555 AWY-LO	25.11452 -77.68411	2,700 ft 823 m	15	-
MYNN APT	-	25.03860 -77.46662	0 ft 0 m	12	Nassau Intl

KFXE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 13 ft / 4 m
Location: 26.197000 -80.170400
Magnetic Var: 7.392 W

METAR

KFXE 041453Z 09014KT 10SM SCT029 29/21 A3002 RMK A02 SLP167 T02890211 51007

TAF

KFXE 041431Z 0415/0512 10011G20KT P6SM SCT030 FM050200 11007KT P6SM FEW050 SCT250

Frequencies

REC - 119.85 MHz - EXECUTIVE ATIS
CLD - 127.95 MHz - EXECUTIVE CLEARANCE DELIVERY
TWR - 120.90 MHz - EXECUTIVE TOWER
APP - 119.70 MHz - MIAMI APPROACH
COM - 122.95 MHz - EXECUTIVE UNICOM
GND - 121.75 MHz - EXECUTIVE GROUND
APP - 119.70 MHz - MIAMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	100 ft	5,998 ft	83.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	91.14		0 m	60 m
27	100 ft	5,998 ft	263.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	271.15		0 m	60 m
13	100 ft	4,004 ft	128.94	ASPHALT	0 ft	148 ft
	30 m	1,220 m	136.33		0 m	45 m
31	100 ft	4,004 ft	308.95	ASPHALT	0 ft	148 ft
	30 m	1,220 m	316.34		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IFXE	111.10 MHz	18 nm	83.76	-	13 ft
				33 km	91.15		13 m
09	GS	IFXE	111.10 MHz	10 nm	83.76	3.00	13 ft
				19 km	91.15		13 m

MYNN

Region: BAHAMAS
Timezone: AMERICA/NASSAU
Runways: 2

Elevation: 16 ft / 5 m
Location: 25.038700 -77.466800
Magnetic Var: 8.779 W

METAR

MYNN 041500Z 10010KT 9999 SCT022 27/20 A3004

TAF

TAF MYNN 041100Z 0412/0512 09010KT 9999 FEW030 SCT045 BECMG 0420/0422 09015KT 9999 SCT025

Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.58		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.59		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.45		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.46		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.61		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.44		8 m