

LIPZ

Venezia Tessera


LIRN

Naples Capodichino

2024/05/05 2212Z

LIPZ LANLI **L612** ANC **L982** PES LIRN

294.13 nm / 544.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50479	0 ft	-	Venezia Tesserà
APT	-	12.34969	0 m		
LANLI	-	43.95722	35,000 ft	99	-
FIX	-	13.18056	10,668 m		
ANC	L612	43.58639	35,000 ft	25	ANCONA VOR-DME
VOR	AWY-LO	13.47111	10,668 m		
ERDUX	L982	43.25083	31,400 ft	22	-
FIX	AWY-LO	13.68222	9,571 m		
PES	L982	42.43611	19,900 ft	53	PESCARA VOR-DME
VOR	AWY-LO	14.18444	6,066 m		
LIRN	-	40.88603	0 ft	93	Naples Capodichino
APT	-	14.29078	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.904 E

METAR

LIPZ 052150Z 20005KT CAVOK 17/14 Q1013 NOSIG

TAF

TAF LIPZ 051700Z 0518/0624 17010KT 9999 FEW020 BECMG 0520/0522 04005KT TEMPO 0600/0607 0600 FG BECMG 0610/0612 170

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.15		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.13		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.960 E

METAR

LIRN 052150Z VRB01KT CAVOK 15/12 Q1017 NOSIG

TAF

TAF LIRN 051700Z 0518/0618 VRB05KT 9999 SCT020 BECMG 0610/0612 21010KT

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS
APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.08		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m