

WIII

Jakarta Halim Perdanakusuma Intl


WIII

Jakarta Sukarno-Hatta Intl

2024/06/08 0046Z

WIII HLM WIII

16.73 nm / 30.99 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 360kts
- Descent Rate: 1600ft/min
- Descent Speed: 198kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
WIIH	-	-6.26661	0 ft	-	Jakarta Halim Perdanakusuma Intl	
APT	-	106.89112	0 m			
HLM	-	-6.27194	100 ft	0	HALIM PERDANAKUSUMA VOR-DME	
VOR	-	106.88698	30 m			
WIII	-	-6.12574	0 ft	16	Jakarta Sukarno-Hatta Intl	
APT	-	106.65640	0 m			

WIIH

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 79 ft / 24 m
Location: -6.266570 106.891000
Magnetic Var: 0.538 E

METAR

WIIH 080000Z 13003KT 3000 HZ NSC 26/24 Q1010 NOSIG METAR WAAA 080000Z 08003KT 9999 FEW019 25/25 Q1012 NOSIG

TAF

TAF WIIH 072300Z 0800/0900 12006KT 5000 HZ FEW020 TEMPO 0807/0810 03012KT 4000 -RA FEW017CB SCT018 BECMG 0812/0814

Frequencies

TWR - 118.60 MHz - HALIM TOWER
APP - 120.00 MHz - HALIM APPROACH

REC - 128.80 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,852 ft	65.23	ASPHALT	0 ft	0 ft
	45 m	3,003 m	64.69		0 m	0 m
24	148 ft	9,852 ft	245.23	ASPHALT	659 ft	0 ft
	45 m	3,003 m	244.69		201 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IHAL	111.70 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
24	LOC-ILS	IHAL	111.70 MHz	18 nm	245.32	-	87 ft
				33 km	244.78		87 m
24	GS	IHAL	111.70 MHz	10 nm	245.77	3.00	90 ft
				19 km	245.23		90 m

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.528 E

METAR

WIII 080030Z VRB05KT 3000 HZ NSC 28/23 Q1011 NOSIG

TAF

TAF WIII 072300Z 0800/0906 16005KT 5000 HZ FEW020 BECMG 0802/0804 03010KT 8000 NSW BECMG 0812/0814 VRB02KT 5000 HZ

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m