


2024/05/09 2233Z

KLVK KPVF

79.81 nm / 147.81 km



## Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 100kts
- Cruise Altitude: 5500ft
- Cruise Speed: 150kts
- Descent Rate: 500ft/min
- Descent Speed: 160kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLVK	-	37.69318	0 ft	-	Livermore Muni
APT	-	-121.82037	0 m		
KPVF	-	38.72422	0 ft	79	PLACERVILLE
APT	-	-120.75333	0 m		

## KLVK

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 2

Elevation: 399 ft / 122 m  
Location: 37.693200 -121.820000  
Magnetic Var: 12.772 E

## METAR

KLVK 092153Z 02010G17KT 10SM CLR 27/04 A2990 RMK A02 SLP122 T02720039

## TAF

TAF KLVK 091736Z 0918/1018 06012KT P6SM SKC FM100200 29009KT P6SM SKC FM100500 25004KT P6SM SKC

## Frequencies

REC - 119.65 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 118.10 MHz -  
APP - 125.35 MHz - NORCAL APP/DEP  
COM - 118.10 MHz - CTAF  
GND - 121.60 MHz -  
APP - 123.85 MHz - NORCAL APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	98 ft	5,241 ft	90.57	ASPHALT	0 ft	151 ft
	30 m	1,598 m	77.80		0 m	46 m
25R	98 ft	5,241 ft	270.58	ASPHALT	0 ft	151 ft
	30 m	1,598 m	257.81		0 m	46 m
07R	75 ft	2,694 ft	90.58	ASPHALT	0 ft	0 ft
	23 m	821 m	77.81		0 m	0 m
25L	75 ft	2,694 ft	270.58	ASPHALT	0 ft	0 ft
	23 m	821 m	257.81		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ILVK	110.50 MHz	18 nm	270.56	-	365 ft
				33 km	257.79		365 m
25R	GS	ILVK	110.50 MHz	10 nm	271.15	3.00	393 ft
				19 km	258.38		393 m