LTAI
Antalya


-

LTBA
Istanbul Ataturk

2024/03/28 2254Z

LTAI KINIK R2284 LTBA

260.31 nm / 482.08 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTAI APT	–	36.91569 30.79237	0 ft 0 m	–	–
KINIK FIX	–	38.73222 29.99944	0 ft 0 m	115	–
R2284 FIX	–	40.96559 28.80986	0 ft 0 m	144	–
LTBA APT	–	40.96559 28.80986	0 ft 0 m	0	–

LTAI

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 3

Elevation: 175 ft / 53 m
Location: 36.899600 30.797500
Magnetic Var: 5.654 E

METAR

LTAI 282220Z 33005KT 9999 SCT030 BKN120 16/12 Q1016 NOSIG RMK RWY18C 31005KT RWY36R 32004KT RWY18L 31006KT

TAF

TAF LTAI 281640Z 2818/2918 34008KT 9999 SCT030 BKN120 PROB40 TEMPO 2904/2908 -SHRA FEW020CB BKN025 BECMG 2912/291

Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY
REC - 136.12 MHz - ANTALYA ATIS
APP - 119.02 MHz - ANTALYA APPROACH
APP - 124.42 MHz - ANTALYA APPROACH
TWR - 119.80 MHz - ANTALYA TOWER
TWR - 126.10 MHz - ANTALYA TOWER
GND - 121.75 MHz - ANTALYA GROUND
GND - 121.90 MHz - ANTALYA GROUND
TWR - 121.65 MHz - ANTALYA DELIVERY
REC - 118.27 MHz - ANTALYA ATIS
APP - 124.35 MHz - ANTALYA APPROACH
TWR - 125.00 MHz - ANTALYA TOWER
TWR - 120.12 MHz - ANTALYA TOWER
GND - 119.85 MHz - ANTALYA GROUND
GND - 121.70 MHz - ANTALYA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft 45 m	11,165 ft 3,403 m	186.29 180.64	CONCRETE	0 ft 0 m	197 ft 60 m
36R	148 ft 45 m	11,165 ft 3,403 m	6.29 0.63	CONCRETE	0 ft 0 m	197 ft 60 m
18C	148 ft 45 m	11,165 ft 3,403 m	186.25 180.59	CONCRETE	0 ft 0 m	197 ft 60 m
36C	148 ft 45 m	11,165 ft 3,403 m	6.24 0.59	CONCRETE	0 ft 0 m	197 ft 60 m
18R	148 ft 45 m	9,819 ft 2,993 m	186.25 180.60	CONCRETE	0 ft 0 m	295 ft 90 m
36L	148 ft 45 m	9,819 ft 2,993 m	6.25 0.60	CONCRETE	0 ft 0 m	295 ft 90 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm 33 km	- -	-	54 ft 54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm 33 km	186.24 180.59	-	175 ft 175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm 33 km	6.24 0.59	-	175 ft 175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm 33 km	6.29 0.64	-	175 ft 175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm 33 km	186.29 180.64	-	175 ft 175 m
18C	GS	IATY	108.70 MHz	10 nm 19 km	186.24 180.59	3.00	175 ft 175 m
36C	GS	IAYT	110.30 MHz	10 nm 19 km	6.24 0.59	3.00	175 ft 175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.64		175 m

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.054 E

METAR

LTBA 282220Z VRB02KT CAVOK 13/08 Q1014 RMK RWY23 15002KT

TAF

TAF LTBA 281640Z 2818/2918 14006KT 9999 SCT035 BKN100 BECMG 2818/2821 CAVOK

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL
TWR - 118.02 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER
APP - 119.35 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH
REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.37 MHz - YESILKOY TOWER
TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.97 MHz - YESILKOY TOWER
TWR - 125.30 MHz - YESILKOY TOWER
TWR - 126.05 MHz - YESILKOY TOWER
APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.57 MHz - YESILKOY APPROACH
APP - 124.45 MHz - YESILKOY APPROACH
APP - 127.10 MHz - YESILKOY APPROACH
APP - 128.72 MHz - YESILKOY APPROACH
APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.77 MHz - YESILKOY APPROACH
APP - 133.07 MHz - YESILKOY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.40	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.41	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.41	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.41	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.41		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.41		163 m