


2024/05/06 1845Z

LICC SOBRI **UL58** SOR **UM725** SPL **UL196** VEBAL **UY552** PUSTA **UM986** TPS **UL853** MEBAN **UM985** JED EPWA

961.79 nm / 1781.24 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICC APT	-	37.46678 15.06640	0 ft 0 m	-	Catania Fontanarossa
SOBRI FIX	-	39.08444 15.13000	33,700 ft 10,272 m	97	-
AGNIS FIX	UL58 AWY-HI	39.80750 14.75083	34,000 ft 10,363 m	46	-
VARAL FIX	UL58 AWY-HI	40.01417 14.64139	34,000 ft 10,363 m	13	-
SOR VOR	UL58 AWY-HI	40.58249 14.33527	34,000 ft 10,363 m	36	SORRENTO VOR-DME
MOLUX FIX	UM725 AWY-HI	41.30667 14.80694	35,000 ft 10,668 m	48	-
XOLTA FIX	UM725 AWY-HI	42.70389 15.74833	35,000 ft 10,668 m	93	-
TIBLA FIX	UM725 AWY-HI	43.07472 16.00667	35,000 ft 10,668 m	25	-
SPL VOR	UM725 AWY-HI	43.49658 16.30472	35,000 ft 10,668 m	28	SPLIT VOR-DME
UNIPA FIX	UL196 AWY-HI	44.02944 16.48278	35,000 ft 10,668 m	32	-
DRVAR FIX	UL196 AWY-HI	44.35194 16.59389	35,000 ft 10,668 m	19	-
KOMAR FIX	UL196 AWY-HI	44.95806 16.80417	35,000 ft 10,668 m	37	-
NOVLO FIX	UL196 AWY-HI	45.22944 16.95306	35,000 ft 10,668 m	17	-
VBA VOR	UL196 AWY-HI	45.74779 17.14673	35,000 ft 10,668 m	32	BARNA VOR-DME
VEBAL FIX	UL196 AWY-HI	45.99139 17.29667	35,000 ft 10,668 m	15	-
PUSTA FIX	UY552 AWY-HI	47.15222 18.74232	35,000 ft 10,668 m	91	-
BALUX FIX	UM986 AWY-HI	47.34090 19.12955	35,000 ft 10,668 m	19	-
TPS NDB	UM986 AWY-HI	47.49326 19.44622	35,000 ft 10,668 m	15	TAPIOSAP NDB
LITKU FIX	UL853 AWY-HI	48.23056 19.59861	35,000 ft 10,668 m	44	-
TAGOD FIX	UL853 AWY-HI	48.51083 19.61583	35,000 ft 10,668 m	16	-
INPOX FIX	UL853 AWY-HI	48.63528 19.62000	35,000 ft 10,668 m	7	-
REDSI FIX	UL853 AWY-HI	49.23333 19.63944	35,000 ft 10,668 m	35	-
MEBAN FIX	UL853 AWY-HI	49.45500 19.64667	35,000 ft 10,668 m	13	-
JAB VOR	UM985 AWY-HI	49.48290 19.67861	35,000 ft 10,668 m	2	JABLONKA VOR-DME
SKAVI FIX	UM985 AWY-HI	49.94028 19.90000	29,900 ft 9,114 m	28	-
JED VOR	UM985 AWY-HI	50.64732 20.25121	27,500 ft 8,382 m	44	JEDOW VOR-DME
EPWA APT	-	52.16509 20.96692	0 ft 0 m	95	WARSZAWA Okecie

## LICC

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 39 ft / 12 m  
Location: 37.466800 15.066400  
Magnetic Var: 3.830 E

## METAR

LICC 061820Z 05012KT CAVOK 19/15 Q1015

## TAF

TAF LICC 061700Z 0618/0718 26008KT CAVOK TEMPO 0711/0717 08012KT

## Frequencies

GND - 129.72 MHz - CATANIA GROUND  
APP - 120.80 MHz - CATANIA APPROACH  
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER  
APP - 119.25 MHz - CATANIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.12		87 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m

## EPWA

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 2

Elevation: 362 ft / 110 m  
Location: 52.165100 20.967000  
Magnetic Var: 6.621 E

## METAR

EPWA 061830Z 26006KT CAVOK 15/09 Q1007 NOSIG

## TAF

TAF EPWA 061730Z 0618/0718 26010KT CAVOK PROB40 TEMPO 0618/0621 -SHRA BKN035CB BECMG 0700/0702 32006KT BECMG 0706

## Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.95		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.98		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.18		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.20		658 m	45 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.97		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.20		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.97		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.20		362 m