


2024/05/05 0548Z

KSBA CEANO **J126** SNS KAPC

258.27 nm / 478.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBA APT	-	34.42596 -119.84072	0 ft 0 m	-	Santa Barbara Mun
CEANO FIX	-	35.36952 -120.48780	23,200 ft 7,071 m	65	-
ROBIE FIX	J126 AWY-HI	35.98147 -121.00946	31,800 ft 9,693 m	44	-
SNS VOR	J126 AWY-HI	36.66383 -121.60319	21,100 ft 6,431 m	50	SALINAS VORTAC
KAPC APT	-	38.21339 -122.28049	0 ft 0 m	98	Napa Co

KSBA

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 13 ft / 4 m
Location: 34.426000 -119.841000
Magnetic Var: 11.806 E

METAR

KSBA 050453Z 00000KT 1 3/4SM -RA BR BKN003 OVC013 13/13 A2990 RMK AO2 SLP125 P0005 T01330133 \$

TAF

KSBA 050204Z 0502/0524 26010KT 5SM -RA BR BKN008 FM050300 22006KT P6SM -SHRA OVC015 FM050700 32015KT P6SM BKN025 F

Frequencies

REC - 132.65 MHz - KSBA ATIS	COM - 119.70 MHz - SANTA BARBARA CTAF
CLD - 132.90 MHz - SANTA BARBARA CLD	GND - 121.70 MHz - SANTA BARBARA GND
TWR - 119.70 MHz - SANTA BARBARA TWR	APP - 120.55 MHz - SANTA BARBARA APP
DEP - 120.55 MHz - SANTA BARBARA DEP	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	6,037 ft	88.58	CONCRETE	0 ft	151 ft
	46 m	1,840 m	76.78		0 m	46 m
25	151 ft	6,037 ft	268.59	CONCRETE	0 ft	991 ft
	46 m	1,840 m	256.79		0 m	302 m
15R	98 ft	4,197 ft	165.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	153.89		0 m	0 m
33L	98 ft	4,197 ft	345.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	333.89		0 m	0 m
15L	75 ft	4,192 ft	165.73	ASPHALT	0 ft	0 ft
	23 m	1,278 m	153.93		0 m	0 m
33R	75 ft	4,192 ft	345.74	ASPHALT	0 ft	0 ft
	23 m	1,278 m	333.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISBA	110.30 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
07	LOC-ILS	ISBA	110.30 MHz	18 nm	88.59	-	13 ft
				33 km	76.78		13 m
07	GS	ISBA	110.30 MHz	10 nm	88.59	3.00	13 ft
				19 km	76.78		13 m

KAPC

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 35 ft / 11 m
Location: 38.213400 -122.280000
Magnetic Var: 12.947 E

METAR

KAPC 050454Z AUTO 25008KT 10SM CLR 09/06 A2988 RMK A02 SLP108 T00890056

TAF

KAPC 042336Z 0500/0524 27014G23KT P6SM VCSH FEW035 SCT050 FM050600 27008KT P6SM SCT040 FM052000 25014KT P6SM SCT0

Frequencies

REC - 124.05 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.70 MHz -
COM - 118.70 MHz - CTAF
GND - 121.70 MHz -
APP - 127.80 MHz - NORCAL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	151 ft	5,940 ft	200.66	ASPHALT	0 ft	0 ft
	46 m	1,810 m	187.71		0 m	0 m
36L	151 ft	5,940 ft	20.66	ASPHALT	0 ft	151 ft
	46 m	1,810 m	7.71		0 m	46 m
06	151 ft	4,998 ft	76.68	CONCRETE	0 ft	0 ft
	46 m	1,523 m	63.74		0 m	0 m
24	151 ft	4,998 ft	256.69	CONCRETE	0 ft	0 ft
	46 m	1,523 m	243.75		0 m	0 m
18L	75 ft	2,514 ft	200.64	ASPHALT	0 ft	0 ft
	23 m	766 m	187.69		0 m	0 m
36R	75 ft	2,514 ft	20.64	ASPHALT	0 ft	0 ft
	23 m	766 m	7.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36L	LOC-LOC	IAPC	111.30 MHz	18 nm	20.67	-	23 ft
				33 km	7.72		23 m