

MMMX

Licenciado Benito Juarez Intl


MMAA

GENERAL JUAN N ALVAREZ INTL

2024/05/03 0533Z

MMMX TEQ V15 ACA MMAA

165.67 nm / 306.82 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 100kts
- Cruise Altitude: 12000ft
- Cruise Speed: 160kts
- Descent Rate: 1500ft/min
- Descent Speed: 140kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX	-	19.43631	0 ft	-	Licenciado Benito Juarez Intl
APT	-	-99.07210	0 m		
TEQ	-	18.67608	16,700 ft	46	TEQUESQUITENGO VOR-DME
VOR	-	-99.25531	5,090 m		
ACA	V15	16.75847	0 ft	118	ACAPULCO VOR-DME
VOR	AWY-LO	-99.75397	0 m		
MMAA	-	16.75599	0 ft	0	GENERAL JUAN N ALVAREZ INTL
APT	-	-99.75176	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.905 E

METAR

MMM 030447Z 13004KT 10SM FEW080 BKN220 23/03 A3024 NOSIG RMK 8/038 HZY

TAF

TAF MMM 022255Z 0300/0400 20010KT P6SM BKN020CB BKN080 OVC220 TX31/0320Z TN18/0312Z TEMPO 0300/0302 VC RA FM0302

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m

MMAA

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 16 ft / 5 m
Location: 16.756000 -99.751600
Magnetic Var: 4.290 E

METAR

MMAA 030346Z 27006KT 6SM BKN100 OVC300 27/24 A2977 RMK 8/072 HZY

TAF

TAF MMAA 022255Z 0300/0400 24010KT P6SM BKN300 TX31/0319Z TN24/0313Z FM030300 30005KT P6SM SCT300 FM031900 27015K

Frequencies

REC - 115.90 MHz - ACAPULCO ATIS
TWR - 119.90 MHz - ACAPULCO TOWER

TWR - 118.50 MHz - ACAPULCO TOWER
APP - 119.90 MHz - ACAPULCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	10,821 ft	108.04	CONCRETE	0 ft	184 ft
	45 m	3,298 m	103.75		0 m	56 m
28	148 ft	10,821 ft	288.04	CONCRETE	0 ft	190 ft
	45 m	3,298 m	283.75		0 m	58 m
06	115 ft	5,570 ft	66.92	CONCRETE	0 ft	184 ft
	35 m	1,698 m	62.63		0 m	56 m
24	115 ft	5,570 ft	246.92	CONCRETE	0 ft	197 ft
	35 m	1,698 m	242.63		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAIA	111.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
28	DME	IACA	109.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
10	LOC-ILS	IAIA	111.90 MHz	18 nm	108.04	-	16 ft
				33 km	103.75		16 m
28	LOC-ILS	IACA	109.90 MHz	18 nm	288.04	-	16 ft
				33 km	283.75		16 m
10	GS	IAIA	111.90 MHz	10 nm	108.04	3.10	16 ft
				19 km	103.75		16 m
28	GS	IACA	109.90 MHz	10 nm	288.04	3.00	16 ft
				19 km	283.75		16 m