EGPH
Edinburgh


-

LSGG
Geneva

2024/03/19 0511Z

EGPH APPLE **UN590** HALIF **UL613** DIDOR **UL48** RLP LSGG

694.01 nm / 1285.31 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident	Via	Lat	Alt	Dist	Name
Type		Lon		(nm)	
EGPH	–	55.94869	0 ft	–	Edinburgh
APT	–	-3.35972	0 m		
APPLE	–	54.50000	31,700 ft	91	–
FIX	–	-2.51389	9,662 m		
HALIF	UN590	53.73500	35,000 ft	56	–
FIX	AWY-HI	-1.58056	10,668 m		
MAMUL	UL613	53.41806	35,000 ft	21	–
FIX	AWY-HI	-1.28000	10,668 m		
BETAX	UL613	53.00917	35,000 ft	28	–
FIX	AWY-HI	-0.90083	10,668 m		
MOGLI	UL613	52.30833	35,000 ft	47	–
FIX	AWY-HI	-0.26917	10,668 m		
STOAT	UL613	52.02583	35,000 ft	19	–
FIX	AWY-HI	-0.02083	10,668 m		
TOTRI	UL613	51.77500	35,000 ft	17	–
FIX	AWY-HI	0.19667	10,668 m		
DET	UL613	51.30389	35,000 ft	32	DETLING VOR-DME
VOR	AWY-HI	0.59722	10,668 m		
SANDY	UL613	51.06417	35,000 ft	22	–
FIX	AWY-HI	1.06750	10,668 m		
SOVAT	UL613	50.77944	35,000 ft	22	–
FIX	AWY-HI	1.46667	10,668 m		
RATUK	UL613	50.65694	35,000 ft	9	–
FIX	AWY-HI	1.63639	10,668 m		
VESAN	UL613	50.37194	35,000 ft	22	–
FIX	AWY-HI	2.02639	10,668 m		
DIPER	UL613	50.34583	35,000 ft	2	–
FIX	AWY-HI	2.06139	10,668 m		
NURMO	UL613	49.82611	35,000 ft	41	–
FIX	AWY-HI	2.75528	10,668 m		
DIDOR	UL613	49.31361	35,000 ft	36	–
FIX	AWY-HI	3.28194	10,668 m		
CTL	UL48	49.13775	35,000 ft	15	CHATILLON SUR MARNE VOR-DME
VOR	AWY-HI	3.57769	10,668 m		
RLP	UL48	47.90631	21,700 ft	99	ROLAMPONT VOR-DME
VOR	AWY-HI	5.24917	6,614 m		
LSGG	–	46.23775	0 ft	106	Geneva
APT	–	6.10617	0 m		

EGPH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 136 ft / 41 m
Location: 55.950000 -3.372500
Magnetic Var: 1.240 W

METAR

EGPH 190450Z 23021KT 9999 SCT019 11/07 Q0999

TAF

TAF AMD EGPH 190357Z 1904/1924 21018G28KT 9999 SCT040 TEMPO 1904/1905 4000 RA BKN009 BECMG 1905/1908 25012KT PROB3

Frequencies

APP - 121.20 MHz - EDINBURGH APPROACH
TWR - 118.70 MHz - EDINBURGH TOWER

GND - 121.75 MHz - EDINBURGH GROUND
REC - 131.35 MHz - EDINBURGH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft 46 m	8,369 ft 2,551 m	58.80 60.04	ASPHALT	692 ft 211 m	190 ft 58 m
24	150 ft 46 m	8,369 ft 2,551 m	238.82 240.07	ASPHALT	682 ft 208 m	194 ft 59 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IVG	108.90 MHz	18 nm 33 km	- -	-	123 ft 123 m
24	DME	ITH	108.90 MHz	18 nm 33 km	- -	-	123 ft 123 m
06	LOC-ILS	IVG	108.90 MHz	18 nm 33 km	58.81 60.05	-	136 ft 136 m
24	LOC-ILS	ITH	108.90 MHz	18 nm 33 km	238.81 240.05	-	136 ft 136 m
06	GS	IVG	108.90 MHz	10 nm 19 km	58.81 60.05	3.00	136 ft 136 m
24	GS	ITH	108.90 MHz	10 nm 19 km	238.81 240.05	3.00	136 ft 136 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.493 E

METAR

LSGG 190450Z 33003KT 8000 FEW003 05/05 Q1018 NOSIG

TAF

TAF TAF LSGG 190225Z 1903/2009 VRB02KT 8000 NSC TX17/1916Z TN04/1906Z TN03/2006Z TEMPO 1903/1908 4500 BR

Frequencies

REC - 124.75 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT
APP - 130.55 MHz - GENEVA APPROACH

REC - 135.57 MHz - ATIS
GND - 121.85 MHz - GENEVA APRON
GND - 119.70 MHz - GENEVA GROUND
TWR - 119.90 MHz - GENEVA TOWER
DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.25 MHz - GENEVA ARRIVAL
APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft 50 m	12,806 ft 3,903 m	45.42 42.93	CONCRETE	1,076 ft 328 m	0 ft 0 m
22	164 ft 50 m	12,806 ft 3,903 m	225.45 222.95	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm 33 km	45.44 42.95	-	1,411 ft 1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm 33 km	225.44 222.95	-	1,411 ft 1,411 m
04	GS	INE	110.90 MHz	10 nm 19 km	45.44 42.95	3.00	1,411 ft 1,411 m
22	GS	ISW	109.90 MHz	10 nm 19 km	225.44 222.95	3.00	1,411 ft 1,411 m