VABB

Bombay Mumbai Chhatrapati Shivaji Intl


OOMS

SEEB INTL

2024/03/19 0835Z

VABB EXOLU **L505** NOBAT **L301** SEVLA OOMS

874.03 nm / 1618.70 km



Notes

Basic altitude profile:
- Ascent Rate: 1200ft/min
- Ascent Speed: 190kts
- Cruise Altitude: 260ft
- Cruise Speed: 300kts
- Descent Rate: 2000ft/min
- Descent Speed: 200kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VABB APT	- -	19.08898 72.86591	0 ft 0 m	-	Bombay Mumbai Chhatrapati Shivaji Intl
EXOLU FIX	- -	20.21383 71.56956	34,000 ft 10,363 m	99	-
NOBAT FIX	L505 AWY-HI	21.15069 68.00003	34,000 ft 10,363 m	208	-
LADOT FIX	L301 AWY-HI	22.08394 66.00028	34,000 ft 10,363 m	124	-
RASKI FIX	L301 AWY-HI	23.05833 63.86667	34,000 ft 10,363 m	132	-
VAXIM FIX	L301 AWY-HI	23.31667 61.18333	34,300 ft 10,455 m	148	-
RAGMA FIX	L301 AWY-HI	23.38361 60.64611	26,900 ft 8,199 m	29	-
SEVLA FIX	L301 AWY-HI	23.55583 59.18944	14,000 ft 4,267 m	80	-
OOMS APT	- -	23.59554 58.29378	0 ft 0 m	49	SEEB INTL

VABB

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 39 ft / 12 m
Location: 19.089100 72.865600
Magnetic Var: 0.247 E

METAR

VABB 190800Z 27012KT 2500 FU NSC 33/17 Q1011 BECMG 3000 FU

TAF

TAF VABB 190800Z 1909/1918 28010KT 4000 HZ FU NSC TEMPO 1909/1912 30008G18KT BECMG 1913/1915 33008KT 3000 HZ FEW10

Frequencies

REC - 126.40 MHz - MUMBAI INFORMATION
GND - 121.85 MHz - MUMBAI GROUND
TWR - 118.10 MHz - MUMBAI TOWER
APP - 119.30 MHz - MUMBAI APPROACH
APP - 127.90 MHz - MUMBAI APPROACH
APP - 125.35 MHz - MUMBAI RADAR

GND - 121.75 MHz - MUMBAI GROUND
GND - 121.90 MHz - MUMBAI GROUND
TWR - 122.50 MHz - MUMBAI TOWER
APP - 120.35 MHz - MUMBAI APPROACH
APP - 120.50 MHz - MUMBAI RADAR
APP - 132.70 MHz - MUMBAI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft 60 m	11,297 ft 3,443 m	89.15 88.90	ASPHALT	466 ft 142 m	0 ft 0 m
27	197 ft 60 m	11,297 ft 3,443 m	269.16 268.92	ASPHALT	1,585 ft 483 m	135 ft 41 m
14	150 ft 46 m	9,434 ft 2,875 m	134.27 134.03	ASPHALT	1,339 ft 408 m	203 ft 62 m
32	150 ft 46 m	9,434 ft 2,875 m	314.28 314.03	ASPHALT	853 ft 260 m	203 ft 62 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IBOM	109.50 MHz	18 nm 33 km	- -	-	22 ft 22 m
14	DME	IBBY	110.10 MHz	18 nm 33 km	- -	-	37 ft 37 m
27	DME	ISCZ	110.30 MHz	18 nm 33 km	- -	-	37 ft 37 m
09	LOC-ILS	IBOM	109.50 MHz	18 nm 33 km	89.16 88.91	-	39 ft 39 m
14	LOC-ILS	IBBY	110.10 MHz	18 nm 33 km	134.28 134.03	-	39 ft 39 m
27	LOC-ILS	ISCZ	110.30 MHz	18 nm 33 km	269.16 268.91	-	39 ft 39 m
09	GS	IBOM	109.50 MHz	10 nm 19 km	89.16 88.91	3.00	39 ft 39 m
14	GS	IBBY	110.10 MHz	10 nm 19 km	134.28 134.03	3.00	39 ft 39 m
27	GS	ISCZ	110.30 MHz	10 nm 19 km	269.16 268.91	3.30	39 ft 39 m

OOMS

Region: OMAN
Timezone: ASIA/MUSCAT
Runways: 2

Elevation: 46 ft / 14 m
Location: 23.600300 58.280900
Magnetic Var: 1.778 E

METAR

OOMS 190750Z 03008KT CAVOK 28/22 Q1014 NOSIG

TAF

TAF OOMS 190500Z 1906/2012 04014KT 8000 NSC BECMG 1917/1919 28008KT PROB30 TEMPO 2000/2003 4900 BR SCT015 BECMG 20

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 119.80 MHz - RADAR

GND - 121.80 MHz -
APP - 121.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft 60 m	13,106 ft 3,995 m	84.99 83.21	ASPHALT	0 ft 0 m	390 ft 119 m
26R	197 ft 60 m	13,106 ft 3,995 m	265.01 263.23	ASPHALT	525 ft 160 m	394 ft 120 m
08R	148 ft 45 m	11,743 ft 3,579 m	84.98 83.20	CONCRETE	1,371 ft 418 m	197 ft 60 m
26L	148 ft 45 m	11,743 ft 3,579 m	264.99 263.22	CONCRETE	0 ft 0 m	200 ft 61 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IMW	108.30 MHz	18 nm 33 km	- -	-	45 ft 45 m
26L	DME	ISB	110.30 MHz	18 nm 33 km	- -	-	25 ft 25 m
08L	LOC-ILS	IML	108.90 MHz	18 nm 33 km	84.97 83.19	-	47 ft 47 m
26R	LOC-ILS	IMR	110.70 MHz	18 nm 33 km	264.97 263.19	-	48 ft 48 m
08L	GS	IML	108.90 MHz	10 nm 19 km	84.97 83.19	3.00	47 ft 47 m
26R	GS	IMR	110.70 MHz	10 nm 19 km	264.97 263.19	3.00	48 ft 48 m