


2024/05/06 1524Z

SBPA CXS **UZ5** BRU **UW6** FRAIL **UW15** JOKER SBGO

823.03 nm / 1524.26 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 1000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBPA	-	-29.99443	0 ft	-	Salgado Filho
APT	-	-51.17143	0 m		
CXS	-	-29.19800	16,000 ft	47	DO SUL VOR-DME
VOR	-	-51.18867	4,877 m		
PENSO	UZ5	-28.04633	35,000 ft	71	-
FIX	AWY-HI	-50.82200	10,668 m		
CLUNG	UZ5	-27.75417	35,000 ft	18	-
FIX	AWY-HI	-50.73033	10,668 m		
PERNA	UZ5	-26.47133	35,000 ft	79	-
FIX	AWY-HI	-50.33367	10,668 m		
NARDO	UZ5	-25.99117	35,000 ft	29	-
FIX	AWY-HI	-50.18750	10,668 m		
PIPAL	UZ5	-25.52417	35,000 ft	29	-
FIX	AWY-HI	-50.04667	10,668 m		
MASCA	UZ5	-25.03117	35,000 ft	30	-
FIX	AWY-HI	-49.89917	10,668 m		
MINOT	UZ5	-24.15367	35,000 ft	54	-
FIX	AWY-HI	-49.63950	10,668 m		
CRYPT	UZ5	-23.46017	35,000 ft	43	-
FIX	AWY-HI	-49.43700	10,668 m		
GROVE	UZ5	-22.90983	35,000 ft	34	-
FIX	AWY-HI	-49.27783	10,668 m		
BRU	UZ5	-22.31400	35,000 ft	37	BAURU NDB
NDB	AWY-HI	-49.10717	10,668 m		
ENACT	UW6	-21.93500	35,000 ft	23	-
FIX	AWY-HI	-49.04067	10,668 m		
HARDY	UW6	-21.65567	35,000 ft	17	-
FIX	AWY-HI	-48.97917	10,668 m		
ASTOB	UW6	-20.68000	35,000 ft	59	-
FIX	AWY-HI	-48.82317	10,668 m		
PASTE	UW6	-20.32375	35,000 ft	21	-
FIX	AWY-HI	-48.76217	10,668 m		
FRAIL	UW6	-19.51717	35,000 ft	49	-
FIX	AWY-HI	-48.62500	10,668 m		
JOKER	UW15	-17.79167	24,500 ft	105	-
FIX	AWY-HI	-48.98050	7,468 m		
SBGO	-	-16.63203	0 ft	70	Santo Genoveva
APT	-	-49.22069	0 m		

SBPA

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 12 ft / 4 m
Location: -29.994600 -51.171200
Magnetic Var: 17.879 W

METAR

UNKNOWN

TAF

TAF SBPA 060900Z 0612/0712 02005KT CAVOK TX30/0617Z TN21/0708Z BECMG 0612/0614 34010KT BECMG 0700/0702 03007KT RM

Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.22		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.20		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.80		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.07		11 m