


2024/05/05 1726Z

EBLG JARNY **UM624** EPL **UL47** IXILU LSGG

267.99 nm / 496.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBLG	-	50.63812	0 ft	-	Liege
APT	-	5.44314	0 m		
JARNY	-	49.19333	32,200 ft	90	-
FIX	-	6.10000	9,815 m		
NANCY	UM624	48.81750	33,200 ft	22	-
FIX	AWY-HI	6.08389	10,119 m		
EPL	UM624	48.31783	26,700 ft	30	EPINAL MIRECOURT VOR
VOR	AWY-HI	6.05942	8,138 m		
DANAR	UL47	48.06778	23,500 ft	15	-
FIX	AWY-HI	6.05361	7,163 m		
IXILU	UL47	47.74028	19,300 ft	19	-
FIX	AWY-HI	6.04139	5,883 m		
LSGG	-	46.23775	0 ft	90	Geneva
APT	-	6.10617	0 m		

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.291 E

METAR

EBLG 051650Z 21004KT 9999 FEW028 BKN042 14/08 Q1009 NOSIG

TAF

TAF EBLG 051130Z 0512/0618 22005KT 9999 SCT030 BECMG 0600/0602 4000 BR BKN012 TEMPO 0603/0608 2500 BKN005 BECMG 06

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.88		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.91		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.85		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.87		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.90		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.90		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.87		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.90		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.90		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.87		645 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.509 E

METAR

LSGG 051720Z AUTO 10004KT 070V140 9999 VCSH BKN069 17/12 Q1009 NOSIG

TAF

TAF LSGG 051425Z 0515/0621 24006KT 9999 FEW035 BKN080 TX20/0515Z TN11/0604Z TX15/0615Z PROB30 TEMPO 0517/0520 SH

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m