

EGGW

London Luton


EDLW

Dortmund-Wickede

2024/05/01 0451Z

EGGW XAMAN **L980** REFSO **UZZ91** BREDA EDLW

298.98 nm / 553.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGW APT	-	51.87463 -0.36845	0 ft 0 m	-	London Luton
XAMAN FIX	-	51.78476 2.22423	34,400 ft 10,485 m	96	-
REFSO FIX	L980 AWY-LO	51.80957 2.66691	35,000 ft 10,668 m	16	-
HSD VOR	UZ291 AWY-HI	51.72272 3.85818	30,300 ft 9,235 m	44	HAAMSTEDE VOR
BREDA FIX	UZ291 AWY-HI	51.56029 4.85333	22,100 ft 6,736 m	38	-
EDLW APT	-	51.51911 7.61445	0 ft 0 m	103	Dortmund-Wickede

EGGW

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 524 ft / 160 m
Location: 51.874600 -0.368432
Magnetic Var: 0.370 E

METAR

EGGW 010420Z AUTO 11005KT 080V150 0150 R07/0400N FG VV/// 11/11 Q1008

TAF

TAF EGGW 302301Z 0100/0124 12005KT 9999 FEW030 BECMG 0100/0103 6000 BKN003 PROB40 0100/0108 0300 FG OVC000 BECMG 0

Frequencies

REC - 120.57 MHz - LUTON INFORMATION
TWR - 126.72 MHz - LUTON TOWER
APP - 128.75 MHz - LUTON APPROACH
GND - 121.75 MHz - LUTON GROUND
APP - 129.55 MHz - LUTON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,067 ft	74.35	ASPHALT	0 ft	197 ft
	46 m	2,154 m	73.98		0 m	60 m
25	150 ft	7,067 ft	254.37	ASPHALT	279 ft	0 ft
	46 m	2,154 m	254.00		85 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ILTN	109.15 MHz	18 nm	74.36	-	526 ft
				33 km	73.99		526 m
25	LOC-ILS	ILJ	109.15 MHz	18 nm	254.36	-	526 ft
				33 km	253.99		526 m
07	GS	ILTN	109.15 MHz	10 nm	74.36	3.00	526 ft
				19 km	73.99		526 m
25	GS	ILJ	109.15 MHz	10 nm	254.36	3.00	526 ft
				19 km	253.99		526 m

EDLW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 422 ft / 129 m
Location: 51.519100 7.614450
Magnetic Var: 2.924 E

METAR

EDLW 010420Z 19004KT CAVOK 12/11 Q1009

TAF

TAF EDLW 010330Z 0104/0124 VRB03KT CAVOK PROB30 TEMPO 0104/0106 4500 BCFG BECMG 0111/0113 06008KT BECMG 0120/0122

Frequencies

REC - 125.12 MHz - ATIS
TWR - 129.87 MHz - LANGEN INFO
APP - 125.22 MHz - LANGEN RADAR
GND - 121.82 MHz -
TWR - 134.17 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,546 ft	60.50	ASPHALT	984 ft	197 ft
	45 m	1,995 m	57.58		300 m	60 m
24	148 ft	6,546 ft	240.52	ASPHALT	984 ft	197 ft
	45 m	1,995 m	237.60		300 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IDWE	109.15 MHz	18 nm	60.51	-	422 ft
				33 km	57.59		422 m
24	LOC-ILS	IDWW	111.30 MHz	18 nm	240.51	-	425 ft
				33 km	237.59		425 m
06	GS	IDWE	109.15 MHz	10 nm	60.51	3.00	422 ft
				19 km	57.59		422 m
24	GS	IDWW	111.30 MHz	10 nm	240.51	3.00	425 ft
				19 km	237.59		425 m