

# RPVR

ROXAS


# RPVM

MACTAN CEBU INTL

2024/05/05 0644Z

RPVR CADIZ W6 ASTUR RPVM

106.04 nm / 196.39 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPVR	-	11.59767	0 ft	-	ROXAS
APT	-	122.75167	0 m		
CADIZ	-	11.01681	11,400 ft	48	-
FIX	-	123.31448	3,475 m		
PARAO	W6	10.92128	9,700 ft	7	-
FIX	AWY-LO	123.40627	2,957 m		
ASTUR	W6	10.61756	7,500 ft	25	-
FIX	AWY-LO	123.69757	2,286 m		
RPVM	-	10.30756	0 ft	24	MACTAN CEBU INTL
APT	-	123.97944	0 m		

## RPVM

Region: PHILIPPINES  
Timezone: ASIA/MANILA  
Runways: 1

Elevation: 35 ft / 11 m  
Location: 10.307600 123.979000  
Magnetic Var: 2.087 W

## METAR

RPVM 050600Z 05010KT 9999 FEW020 SCT300 33/23 Q1008 NOSIG RMK A2977

## TAF

TAF RPVM 050500Z 0506/0612 04005KT 9999 FEW020

## Frequencies

APP - 121.20 MHz - MACTAN APPROACH  
TWR - 118.10 MHz - MACTAN TOWER  
REC - 126.60 MHz - MACTAN ATIS

APP - 124.70 MHz - MACTAN APPROACH  
GND - 121.80 MHz - MACTAN GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,851 ft	44.68	ASPHALT	0 ft	207 ft
	45 m	3,308 m	46.76		0 m	63 m
22	148 ft	10,851 ft	224.68	ASPHALT	0 ft	194 ft
	45 m	3,308 m	226.77		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IMT	109.90 MHz	18 nm	-	-	31 ft
				33 km	-		31 m
22	DME	IMCT	109.10 MHz	18 nm	-	-	36 ft
				33 km	-		36 m