


2024/05/01 0400Z

MMUN CZM MMCZ

31.48 nm / 58.30 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 190kts
- Cruise Altitude: 35000ft
- Cruise Speed: 190kts
- Descent Rate: 1000ft/min
- Descent Speed: 190kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMUN	-	21.04229	0 ft	-	Cancun International
APT	-	-86.87333	0 m		
CZM	-	20.52206	0 ft	31	COZUMEL VOR-DME
VOR	-	-86.92928	0 m		
MMCZ	-	20.52284	0 ft	0	Cozumel Intl
APT	-	-86.92814	0 m		

MMUN

Region: MEXICO
Timezone: AMERICA/CANCUN
Runways: 2

Elevation: 22 ft / 7 m
Location: 21.042100 -86.873500
Magnetic Var: 2.716 W

METAR

UNKNOWN

TAF

TAF MMUN 302309Z 0100/0200 12010KT P6SM SCT015 TX31/0120Z TN26/0113Z BECMG 0118/0119 12015KT BKN015

Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.56		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.57		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.55		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.56		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m