


2024/05/12 0130Z

LEZL HIJ UN10 VTB UN871 OBUTO UN869 TGO N624 NIKUT EDDE

1112.40 nm / 2060.16 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEZL	-	37.41794	0 ft	-	Sevilla
APT	-	-5.89309	0 m		
HIJ	-	38.50813	25,900 ft	75	HINOJOSA VOR-DME
VOR	-	-5.09968	7,894 m		
CRISA	UN10	38.93861	35,000 ft	36	-
FIX	AWY-HI	-4.55628	10,668 m		
BOGAS	UN10	39.50610	35,000 ft	48	-
FIX	AWY-HI	-3.82465	10,668 m		
VTB	UN10	39.78077	35,000 ft	23	VILLATOBAS VOR-DME
VOR	AWY-HI	-3.46403	10,668 m		
PALIO	UN871	40.26216	35,000 ft	34	-
FIX	AWY-HI	-3.04831	10,668 m		
LIPOR	UN871	40.49105	35,000 ft	16	-
FIX	AWY-HI	-2.84811	10,668 m		
SEGRE	UN871	41.02283	35,000 ft	38	-
FIX	AWY-HI	-2.37646	10,668 m		
LARDA	UN871	42.13158	35,000 ft	80	-
FIX	AWY-HI	-1.36209	10,668 m		
LATEK	UN871	42.87500	35,000 ft	54	-
FIX	AWY-HI	-0.65694	10,668 m		
OBUTO	UN871	43.15917	35,000 ft	34	-
FIX	AWY-HI	0.02083	10,668 m		
TBO	UN869	43.33222	35,000 ft	11	TARBES VOR
VOR	AWY-HI	0.14575	10,668 m		
OLRAK	UN869	44.78444	35,000 ft	145	-
FIX	AWY-HI	2.83722	10,668 m		
MOKDI	UN869	44.95694	35,000 ft	17	-
FIX	AWY-HI	3.16694	10,668 m		
LERGA	UN869	45.25722	35,000 ft	30	-
FIX	AWY-HI	3.75028	10,668 m		
REPSI	UN869	45.52250	35,000 ft	27	-
FIX	AWY-HI	4.27528	10,668 m		
MEBAK	UN869	45.70806	35,000 ft	19	-
FIX	AWY-HI	4.64889	10,668 m		
NINTU	UN869	46.14722	35,000 ft	46	-
FIX	AWY-HI	5.55306	10,668 m		
MILPA	UN869	46.30250	35,000 ft	16	-
FIX	AWY-HI	5.87972	10,668 m		
VEROX	UN869	46.72750	35,000 ft	38	-
FIX	AWY-HI	6.57333	10,668 m		
NEMOS	UN869	46.91194	35,000 ft	17	-
FIX	AWY-HI	6.90667	10,668 m		
BENOT	UN869	47.05778	35,000 ft	13	-
FIX	AWY-HI	7.17278	10,668 m		
LUTIX	UN869	47.16500	35,000 ft	10	-
FIX	AWY-HI	7.37056	10,668 m		
OLBEN	UN869	47.30444	35,000 ft	13	-
FIX	AWY-HI	7.62944	10,668 m		
RINLI	UN869	47.62278	35,000 ft	21	-
FIX	AWY-HI	7.88083	10,668 m		
NATOR	UN869	48.17000	35,000 ft	37	-
FIX	AWY-HI	8.32139	10,668 m		
TGO	UN869	48.61841	33,600 ft	46	TANGO VORTAC

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	9.25921	10,241 m		
NOTGA	N624	48.95611	23,000 ft	22	-
FIX	AWY-LO	9.50639	7,010 m		
LAMPU	N624	49.34000	23,600 ft	23	-
FIX	AWY-LO	9.66806	7,193 m		
NIKUT	N624	49.60778	19,000 ft	17	-
FIX	AWY-LO	9.81083	5,791 m		
EDDE	-	50.97981	0 ft	93	Erfurt
APT	-	10.95810	0 m		

LEZL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 110 ft / 34 m
Location: 37.417900 -5.893090
Magnetic Var: 0.551 W

METAR

LEZL 120100Z AUTO 23005KT CAVOK 17/13 Q1015

TAF

TAF LEZL 112000Z 1121/1221 23010KT CAVOK TX31/1215Z TN14/1207Z BECMG 1123/1201 VRB03KT BECMG 1212/1214 23010KT

Frequencies

REC - 118.17 MHz - ATIS
GND - 121.70 MHz - SEVILLA GROUND
APP - 124.72 MHz - SEVILLA APPROACH
TWR - 118.10 MHz - SEVILLA TOWER
APP - 120.80 MHz - SEVILLA APPROACH
APP - 128.50 MHz - SEVILLA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,008 ft	89.75	ASPHALT	0 ft	164 ft
	45 m	3,355 m	90.30		0 m	50 m
27	148 ft	11,008 ft	269.77	ASPHALT	0 ft	171 ft
	45 m	3,355 m	270.32		0 m	52 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISE	111.10 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
27	DME	ISV	110.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
09	LOC-ILS	ISE	111.10 MHz	18 nm	89.77	-	111 ft
				33 km	90.32		111 m
27	LOC-ILS	ISV	110.10 MHz	18 nm	269.74	-	111 ft
				33 km	270.29		111 m
09	GS	ISE	111.10 MHz	10 nm	90.51	3.00	111 ft
				19 km	91.06		111 m
27	GS	ISV	110.10 MHz	10 nm	270.51	3.00	22 ft
				19 km	271.06		22 m

EDDE

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,036 ft / 316 m
Location: 50.979800 10.958100
Magnetic Var: 3.863 E

METAR

EDDE 120120Z AUTO 02004KT CAVOK 11/08 Q1021

TAF

TAF TAF EDDE 112300Z 1200/1224 06005KT CAVOK BECMG 1218/1221 13005KT

Frequencies

REC - 133.42 MHz - ERFURT ATIS
GND - 121.75 MHz - ERFURT GROUND

TWR - 121.15 MHz - ERFURT TOWER
APP - 126.17 MHz - MUNCHEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	8,538 ft	97.22	ASPHALT	0 ft	0 ft
	50 m	2,603 m	93.35		0 m	0 m
28	164 ft	8,538 ft	277.25	ASPHALT	709 ft	0 ft
	50 m	2,603 m	273.38		216 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	IERE	108.30 MHz	18 nm	97.23	-	1,036 ft
				33 km	93.37		1,036 m
28	LOC-ILS	IERW	109.90 MHz	18 nm	277.23	-	1,036 ft
				33 km	273.37		1,036 m
10	GS	IERE	108.30 MHz	10 nm	97.23	3.00	1,036 ft
				19 km	93.37		1,036 m
28	GS	IERW	109.90 MHz	10 nm	277.23	3.00	1,036 ft
				19 km	273.37		1,036 m