

HKJK

Nairobi Jomo Kanyatta Intl


FIMP

SIR SEEWOSAGUR RAMGOOLAM INTL

2024/05/15 0327Z

HKJK IMSAN **UA609** KISAK **UM609** ATOLA **UA609G** APKOT **UA609F** TIBAG **UM609F** PLS FIMP

1675.15 nm / 3102.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HKJK APT	-	-1.31707 36.93076	0 ft 0 m	-	Nairobi Jomo Kanyatta Intl
IMSAN FIX	-	-2.50251 38.11754	35,000 ft 10,668 m	100	-
GITNO FIX	UA609 AWY-HI	-2.98581 38.65922	35,000 ft 10,668 m	43	-
MOV VOR	UA609 AWY-HI	-3.94854 39.64274	35,000 ft 10,668 m	82	MOMBASA VOR-DME
MOKAD FIX	UA609 AWY-HI	-4.45317 40.21342	35,000 ft 10,668 m	45	-
KISAK FIX	UA609 AWY-HI	-7.81375 44.00105	35,000 ft 10,668 m	303	-
ATOLA FIX	UM609 AWY-HI	-10.00000 46.47667	35,000 ft 10,668 m	197	-
BIRAL FIX	UA609G AWY-HI	-10.92583 47.57667	35,000 ft 10,668 m	85	-
DO NDB	UA609G AWY-HI	-12.34633 49.28944	35,000 ft 10,668 m	132	ARRACHART NDB
TIKEL FIX	UA609G AWY-HI	-13.62639 50.55278	35,000 ft 10,668 m	106	-
VEMAR FIX	UA609G AWY-HI	-14.50000 51.42639	35,000 ft 10,668 m	73	-
MAEVA FIX	UA609G AWY-HI	-16.39583 53.35861	35,000 ft 10,668 m	159	-
APKOT FIX	UA609G AWY-HI	-18.33750 55.39722	35,000 ft 10,668 m	165	-
TIBAG FIX	UA609F AWY-HI	-18.48472 55.55500	35,000 ft 10,668 m	12	-
PLS VOR	UM609F AWY-LO	-20.42003 57.66233	3,500 ft 1,067 m	166	PLAISANCE VOR-DME
FIMP APT	-	-20.43023 57.68360	0 ft 0 m	1	SIR SEEWOOSAGUR RAMGOOLAM INTL

HKJK

Region: KENYA

Timezone: AFRICA/NAIROBI

Runways: 1

Elevation: 5,330 ft / 1,625 m

Location: -1.316650 36.931300

Magnetic Var: 0.800 E

METAR

HKJK 150300Z 16003KT 9999 BKN015 17/16 Q1022 NOSIG

TAF

TAF TAF HKJK 142300Z 1500/1606 03005KT 9999 BKN016 BECMG 1504/1506 22005KT BKN020 BECMG 1510/1513 08010KT SCT025

Frequencies

REC - 126.20 MHz - NAIROBI ATIS

TWR - 118.70 MHz - NAIROBI TOWER

DEP - 119.70 MHz - NAIROBI DEPARTURE

GND - 121.60 MHz - NAIROBI GROUND

APP - 119.70 MHz - NAIROBI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.070 W

METAR

FIMP 150300Z 17010KT 9999 VCSH BKN016 BKN250 23/22 Q1017

TAF

TAF FIMP 142315Z 1500/1606 14010KT 9999 SCT018 TEMPO 1500/1512 7000 -SHRA BKN016 BECMG 1506/1508 14015G25KT

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.24		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.23		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m