DBBB
CADJEHOUN


-

LFPG
Paris Charles De Gaulle

2024/03/19 0649Z

DBBB KELEX **UA608** TATAT **UA608G** NY **UM608** BAY **UA29** SADAF **UN861** MJV **UN859** ROCAN **UN727** LOMRA **UN859** GAI **UZ365** DIRMO **UN857** DEPOM LFPG

2581.59 nm / 4781.10 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DBBB APT	–	6.35723 2.38435	0 ft 0 m	–	CADJEHOUN
KELEX FIX	–	7.86354 2.35632	32,300 ft 9,845 m	90	–
TATAT FIX	UA608 AWY-HI	11.00000 2.27333	34,000 ft 10,363 m	188	–
NY VOR	UA608G AWY-HI	13.48333 2.20639	34,000 ft 10,363 m	149	NIAMEY VOR-DME
INEPA FIX	UM608 AWY-HI	16.25000 2.03861	34,000 ft 10,363 m	166	–
TERAS FIX	UM608 AWY-HI	20.71833 1.78167	34,000 ft 10,363 m	268	–
ROFER FIX	UM608 AWY-HI	23.04722 1.63222	34,000 ft 10,363 m	140	–
JOKKA FIX	UM608 AWY-HI	29.23444 1.24722	34,000 ft 10,363 m	372	–
BREZI FIX	UM608 AWY-HI	33.00028 0.99806	34,000 ft 10,363 m	226	–
BAY VOR	UM608 AWY-HI	33.70981 1.07919	35,000 ft 10,668 m	42	EL BAYADH VOR-DME
TRB VOR	UA29 AWY-HI	35.34778 1.51500	35,000 ft 10,668 m	100	TIARET VOR-DME
CHE NDB	UA29 AWY-HI	36.60139 2.19333	35,000 ft 10,668 m	82	CHERCHELL NDB
SADAF FIX	UA29 AWY-HI	37.80361 2.32889	35,000 ft 10,668 m	72	–
OLMIR FIX	UN861 AWY-HI	38.53111 2.51806	35,000 ft 10,668 m	44	–
MJV VOR	UN861 AWY-HI	39.43519 2.75829	35,000 ft 10,668 m	55	PALMA DE MALLORCA VOR-DME
LISAS FIX	UN859 AWY-HI	40.20223 2.49627	34,000 ft 10,363 m	47	–
TOLSO FIX	UN859 AWY-HI	40.50000 2.39289	34,000 ft 10,363 m	18	–
LARPA FIX	UN859 AWY-HI	40.62661 2.34864	34,000 ft 10,363 m	7	–
GARBI FIX	UN859 AWY-HI	40.80292 2.28674	34,000 ft 10,363 m	10	–
BCN VOR	UN859 AWY-HI	41.30712 2.10781	34,000 ft 10,363 m	31	BARCELONA VOR-DME
PUMAL FIX	UN859 AWY-HI	42.36681 2.00846	34,000 ft 10,363 m	63	–
ROCAN FIX	UN859 AWY-HI	42.67333 1.94667	34,000 ft 10,363 m	18	–
LOMRA FIX	UN727 AWY-HI	43.34417 1.88306	34,000 ft 10,363 m	40	–
GAI VOR	UN859 AWY-HI	43.95406 1.82417	34,000 ft 10,363 m	36	GAILLAC-Castelneau de Montmira
BELPA FIX	UZ365 AWY-HI	44.99222 1.94528	35,000 ft 10,668 m	62	–
GUERE FIX	UZ365 AWY-HI	46.19000 2.08944	35,000 ft 10,668 m	72	–
DIRMO	UZ365	47.08917	23,900 ft	54	–

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	2.19222 7,285 m			
DEPOM	UN857	47.31778 22,000 ft	13	-	
FIX	AWY-HI	2.17917 6,706 m			
LFPG	-	49.00974 0 ft	102	Paris Charles De Gaulle	
APT	-	2.56262 0 m			

DBBB

Region: BENIN
Timezone: AFRICA/PORTO-NOVO
Runways: 1

Elevation: 19 ft / 6 m
Location: 6.357200 2.384420
Magnetic Var: 1.872 W

METAR

DBBB 190500Z VRB02KT 8000 TS SCT010 FEW020CB 27/22 Q1006 TEMPO 4000 TSRA BKN008 FEW018CB

TAF

TAF TAF DBBB 190500Z 1906/2012 20010KT 8000 TS BKN008 FEW020CB BECMG 1908/1910 NSW SCT012

Frequencies

TWR - 118.70 MHz - COTONOU TOWER

APP - 125.90 MHz - COTONOU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft 45 m	7,881 ft 2,402 m	53.00 54.87	ASPHALT	0 ft 0 m	194 ft 59 m
24	148 ft 45 m	7,881 ft 2,402 m	233.00 234.87	ASPHALT	0 ft 0 m	210 ft 64 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	ICN	109.50 MHz	18 nm 33 km	- -	-	19 ft 19 m
24	LOC-ILS	CN	109.50 MHz	18 nm 33 km	233.00 234.87	-	19 ft 19 m
24	GS	CN	109.50 MHz	10 nm 19 km	233.00 234.87	3.00	19 ft 19 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.476 E

METAR

LFPG 190630Z 29003KT 7000 SCT033 SCT050 BKN260 09/08 Q1018

TAF

UNKNOWN

Frequencies

REC - 128.32 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER
GND - 125.30 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 119.85 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE

REC - 127.12 MHz - ATIS
TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 123.60 MHz - DE GAULLE TOWER
GND - 121.90 MHz - DE GAULLE GROUND
GND - 121.70 MHz - DE GAULLE GROUND
APP - 118.15 MHz - DE GAULLE APPROACH
APP - 121.15 MHz - DE GAULLE APPROACH
APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft 45 m	13,713 ft 4,180 m	85.31 83.83	ASPHALT	0 ft 0 m	489 ft 149 m
26R	148 ft 45 m	13,713 ft 4,180 m	265.35 263.88	ASPHALT	1,877 ft 572 m	279 ft 85 m
09L	197 ft 60 m	8,866 ft 2,703 m	85.32 83.84	ASPHALT	0 ft 0 m	0 ft 0 m
27R	197 ft 60 m	8,866 ft 2,703 m	265.35 263.87	ASPHALT	0 ft 0 m	0 ft 0 m
08R	197 ft 60 m	8,833 ft 2,692 m	85.33 83.85	ASPHALT	0 ft 0 m	489 ft 149 m
26L	197 ft 60 m	8,833 ft 2,692 m	265.35 263.88	ASPHALT	0 ft 0 m	486 ft 148 m
09R	148 ft 45 m	13,746 ft 4,190 m	85.30 83.82	ASPHALT	0 ft 0 m	0 ft 0 m
27L	148 ft 45 m	13,746 ft 4,190 m	265.34 263.87	ASPHALT	1,959 ft 597 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm 33 km	- -	-	358 ft 358 m
09L	DME	PNE	109.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
09R	DME	CGE	110.10 MHz	18 nm 33 km	- -	-	392 ft 392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	– –	–	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	– –	–	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	– –	–	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.86	–	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.84	–	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.86	–	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.84	–	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.86	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.84	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.86	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.84	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m