


2024/05/10 0717Z

KABE RAV WATSN KORD

577.32 nm / 1069.19 km



Notes

Requested: KABE RAV Q62 WATSN WATSN2 KORD

Unmatched points: Q62 WATSN2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KABE	-	40.65218	0 ft	-	Lehigh Valley Intl
APT	-	-75.44047	0 m		
RAV	-	40.55339	0 ft	53	RAVINE VORTAC
VOR	-	-76.59939	0 m		
WATSN	-	41.28345	0 ft	430	-
FIX	-	-86.03534	0 m		
KORD	-	41.98274	0 ft	93	CHICAGO OHARE INTL
APT	-	-87.90631	0 m		

KABE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 394 ft / 120 m
Location: 40.652200 -75.440500
Magnetic Var: 12.031 W

METAR

KABE 100651Z 10008KT 10SM -RA FEW009 BKN025 OVC050 13/11 A2969 RMK A02 SLP052 P0007 T01280106

TAF

TAF AMD KABE 100622Z 1006/1106 08007KT 6SM -RA BR SCT007 OVC010 TEMPO 1006/1010 6SM -RA BKN007 FM101000 08012G22KT

Frequencies

REC - 126.98 MHz - ATIS
CLD - 124.05 MHz - CLNC DEL
TWR - 120.50 MHz -
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 119.65 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	7,598 ft	51.15	ASPHALT	0 ft	26 ft
	46 m	2,316 m	63.18		0 m	8 m
24	150 ft	7,598 ft	231.17	ASPHALT	512 ft	197 ft
	46 m	2,316 m	243.20		156 m	60 m
13	150 ft	5,795 ft	123.10	ASPHALT	0 ft	161 ft
	46 m	1,766 m	135.13		0 m	49 m
31	150 ft	5,795 ft	303.11	ASPHALT	0 ft	20 ft
	46 m	1,766 m	315.14		0 m	6 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IGUW	108.55 MHz	18 nm	-	-	405 ft
				33 km	-		405 m
06	LOC-ILS	IABE	110.70 MHz	18 nm	51.17	-	394 ft
				33 km	63.20		394 m
13	LOC-ILS	IBXY	111.90 MHz	18 nm	123.10	-	394 ft
				33 km	135.13		394 m
24	LOC-ILS	IGUW	108.55 MHz	18 nm	231.15	-	398 ft
				33 km	243.18		398 m
06	GS	IABE	110.70 MHz	10 nm	51.32	3.00	387 ft
				19 km	63.35		387 m
13	GS	IBXY	111.90 MHz	10 nm	123.19	3.00	386 ft
				19 km	135.22		386 m
24	GS	IGUW	108.55 MHz	10 nm	231.32	3.00	380 ft
				19 km	243.35		380 m

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.111 W

METAR

KORD 100651Z 34004KT 10SM BKN120 09/07 A2991 RMK AO2 SLP129 T00890067

TAF

TAF KORD 100520Z 1006/1112 35005KT P6SM BKN100 FM101800 27012KT P6SM BKN050 TEMPO 1104/1106 30020G30KT 6SM -RA OVC050

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.52		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m