


2024/05/13 2321Z

OMDB PAPAR **A418** SYZ **R659** ISN **R654** ZAJ **UR654** MGR **UB121** ADANO **UG482** ADILA **UR654** GUSLI **R11** UGADA
B947 ER URRR

1534.12 nm / 2841.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 350kts
- Cruise Altitude: 35000ft
- Cruise Speed: 500kts
- Descent Rate: 1800ft/min
- Descent Speed: 400kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m	-	
PAPAR	-	26.66667	34,000 ft	98	-
FIX	-	54.45000	10,363 m	-	
ROTAL	A418	27.54472	34,000 ft	60	-
FIX	AWY-HI	53.88889	10,363 m	-	
KASOL	A418	28.52972	34,000 ft	67	-
FIX	AWY-HI	53.25917	10,363 m	-	
SITEN	A418	29.03528	34,000 ft	35	-
FIX	AWY-HI	52.92556	10,363 m	-	
SYZ	A418	29.54017	34,000 ft	35	SHIRAZ SHAHID DASTGHAIB VOR-DM
VOR	AWY-HI	52.58878	10,363 m	-	
KAVOT	R659	30.68639	34,000 ft	70	-
FIX	AWY-HI	52.32278	10,363 m	-	
GESIP	R659	31.76556	34,000 ft	66	-
FIX	AWY-HI	52.06639	10,363 m	-	
ISN	R659	32.74697	34,000 ft	60	ESFAHAN VOR-DME
VOR	AWY-HI	51.82800	10,363 m	-	
LALDU	R654	33.63250	34,000 ft	60	-
FIX	AWY-HI	51.27056	10,363 m	-	
SAV	R654	35.01856	34,000 ft	94	SAVEH NDB-DME
NDB	AWY-HI	50.37136	10,363 m	-	
ZAJ	R654	36.59144	34,000 ft	125	ZANJAN VORTAC
VOR	AWY-HI	48.69047	10,363 m	-	
DAMOS	UR654	37.34056	34,000 ft	56	-
FIX	AWY-HI	47.96222	10,363 m	-	
BUDED	UR654	37.84694	34,000 ft	38	-
FIX	AWY-HI	47.45972	10,363 m	-	
GAGDI	UR654	38.31750	34,000 ft	36	-
FIX	AWY-HI	46.98528	10,363 m	-	
MGR	UR654	38.93889	34,000 ft	47	MEGRI NDB
NDB	AWY-HI	46.34722	10,363 m	-	
ADANO	UB121	39.66667	34,000 ft	49	-
FIX	AWY-HI	45.83333	10,363 m	-	
ADILA	UG482	39.99667	34,000 ft	25	-
FIX	AWY-HI	45.49500	10,363 m	-	
SVN	UR654	40.53426	34,000 ft	40	SEVAN NDB
NDB	AWY-HI	44.95476	10,363 m	-	
ALETI	UR654	41.23528	34,000 ft	47	-
FIX	AWY-HI	44.47139	10,363 m	-	
LAGAS	UR654	41.57194	34,000 ft	22	-
FIX	AWY-HI	44.23139	10,363 m	-	
GUSLI	UR654	42.91833	34,000 ft	91	-
FIX	AWY-HI	43.28500	10,363 m	-	
UGADA	R11	43.46639	34,000 ft	34	-
FIX	AWY-HI	43.03194	10,363 m	-	
KW	B947	43.94167	28,800 ft	33	KISLOVODSK NDB
NDB	AWY-HI	42.65000	8,778 m	-	
ABELA	B947	44.19139	28,800 ft	15	-
FIX	AWY-HI	42.60028	8,778 m	-	
PELIR	B947	44.74972	28,800 ft	33	-
FIX	AWY-HI	42.49861	8,778 m	-	
TESMI	B947	45.10917	28,800 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	42.11250	8,778 m		
PARAT	B947	45.53306	26,800 ft	30	-
FIX	AWY-HI	41.71500	8,169 m		
KULOM	B947	45.81639	22,700 ft	20	-
FIX	AWY-HI	41.43167	6,919 m		
ER	B947	46.58333	22,700 ft	55	-
NDB	AWY-HI	40.66667	6,919 m		
URRR	-	47.25419	0 ft	53	Rostov Na Donu
APT	-	39.81607	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 132300Z 15003KT 120V180 CAVOK 33/15 Q1005 NOSIG

TAF

TAF OMDB 131700Z 1318/1500 12007KT 8000 NSC BECMG 1400/1402 18014KT BECMG 1409/1411 33012KT BECMG 1415/1417 12005

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m