


2024/05/18 1754Z

LRBC TOMET **UB499** LUNAV **T3** OBARA **UB499** NARKA **Y33** NORAH **UY33** EPARI LOWW

435.33 nm / 806.23 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LRBC	-	46.52190	0 ft	-	BACAU
APT	-	26.91018	0 m		
TOMET	-	46.48653	19,400 ft	54	-
FIX	-	25.59228	5,913 m		
REBLA	UB499	46.76013	35,000 ft	77	-
FIX	AWY-HI	23.74464	10,668 m		
LUNAV	UB499	46.91841	35,000 ft	26	-
FIX	AWY-HI	23.15045	10,668 m		
OBARA	T3	47.03152	35,000 ft	19	-
FIX	AWY-LO	22.71633	10,668 m		
NARKA	UB499	47.23582	35,000 ft	37	-
FIX	AWY-HI	21.85167	10,668 m		
NORAH	Y33	47.61624	28,700 ft	86	-
FIX	AWY-LO	19.80818	8,748 m		
EPARI	UY33	47.68640	21,400 ft	33	-
FIX	AWY-HI	18.97801	6,523 m		
LOWW	-	48.11007	0 ft	100	Wien Schwechat
APT	-	16.56964	0 m		

LRBC

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 1

Elevation: 607 ft / 185 m
Location: 46.521900 26.910200
Magnetic Var: 6.778 E

METAR

LRBC 181730Z 19007KT 9999 -RA FEW030CB BKN045 14/11 Q1017

TAF

UNKNOWN

Frequencies

TWR - 118.60 MHz - BACAU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	8,205 ft	164.85	CONCRETE	0 ft	0 ft
	45 m	2,501 m	158.07		0 m	0 m
34	148 ft	8,205 ft	344.85	CONCRETE	0 ft	0 ft
	45 m	2,501 m	338.08		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IBC	110.70 MHz	18 nm	344.86	-	607 ft
				33 km	338.08		607 m
34	GS	IBC	110.70 MHz	10 nm	344.86	3.00	607 ft
				19 km	338.08		607 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.016 E

METAR

LOWW 181720Z 13005KT CAVOK 19/13 Q1012 NOSIG

TAF

TAF LOWW 181115Z 1812/1918 13010KT 9999 SCT020 TX23/1914Z TN12/1903Z TEMPO 1812/1816 FEW050CB TEMPO 1816/1903 3000

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m