

LFPG

Paris Charles De Gaulle


DIAP

Abidjan Felix Houphouet Boigny Intl

2024/05/12 0051Z

LFPG DEPOM **UN857** DIRMO **UZ365** GAI **UN859** LOMRA **UN727** ROCAN **UN859** MJV **UN861** SADAF **UA29** BAY **UG26** TIO
UA614 AD DIAP

2668.41 nm / 4941.90 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00974	0 ft	-	Paris Charles De Gaulle
APT	-	2.56262	0 m		
DEPOM	-	47.31778	34,000 ft	102	-
FIX	-	2.17917	10,363 m		
DIRMO	UN857	47.08917	35,000 ft	13	-
FIX	AWY-HI	2.19222	10,668 m		
GUERE	UZ365	46.19000	34,000 ft	54	-
FIX	AWY-HI	2.08944	10,363 m		
BELPA	UZ365	44.99222	34,000 ft	72	-
FIX	AWY-HI	1.94528	10,363 m		
GAI	UZ365	43.95406	34,000 ft	62	GAILLAC-Castelneau de Montmira
VOR	AWY-HI	1.82417	10,363 m		
LOMRA	UN859	43.34417	35,000 ft	36	-
FIX	AWY-HI	1.88306	10,668 m		
ROCAN	UN727	42.67333	35,000 ft	40	-
FIX	AWY-HI	1.94667	10,668 m		
PUMAL	UN859	42.36681	35,000 ft	18	-
FIX	AWY-HI	2.00846	10,668 m		
BCN	UN859	41.30712	35,000 ft	63	BARCELONA VOR-DME
VOR	AWY-HI	2.10781	10,668 m		
GARBI	UN859	40.80292	35,000 ft	31	-
FIX	AWY-HI	2.28674	10,668 m		
LARPA	UN859	40.62661	35,000 ft	10	-
FIX	AWY-HI	2.34864	10,668 m		
TOLSO	UN859	40.50000	35,000 ft	7	-
FIX	AWY-HI	2.39289	10,668 m		
LISAS	UN859	40.20223	35,000 ft	18	-
FIX	AWY-HI	2.49627	10,668 m		
MJV	UN859	39.43519	35,000 ft	47	PALMA DE MALLORCA VOR-DME
VOR	AWY-HI	2.75829	10,668 m		
OLMIR	UN861	38.53111	34,000 ft	55	-
FIX	AWY-HI	2.51806	10,363 m		
SADAF	UN861	37.80361	34,000 ft	44	-
FIX	AWY-HI	2.32889	10,363 m		
CHE	UA29	36.60139	34,000 ft	72	CHERCHELL NDB
NDB	AWY-HI	2.19333	10,363 m		
TRB	UA29	35.34778	34,000 ft	82	TIARET VOR-DME
VOR	AWY-HI	1.51500	10,363 m		
BAY	UA29	33.70981	34,000 ft	100	EL BAYADH VOR-DME
VOR	AWY-HI	1.07919	10,363 m		
GOLIB	UG26	33.00000	34,000 ft	44	-
FIX	AWY-HI	0.83333	10,363 m		
TIO	UG26	29.22608	34,000 ft	228	TIMIMOUN VOR-DME
VOR	AWY-HI	0.25809	10,363 m		
CHECH	UA614	25.51389	34,000 ft	226	-
FIX	AWY-HI	-0.47000	10,363 m		
IPOBA	UA614	22.47667	34,000 ft	185	-
FIX	AWY-HI	-1.04833	10,363 m		
XUMIL	UA614	18.56778	34,000 ft	237	-
FIX	AWY-HI	-1.74417	10,363 m		
LUKNA	UA614	17.73472	34,000 ft	50	-
FIX	AWY-HI	-1.88833	10,363 m		
PILTI	UA614	15.28500	34,000 ft	149	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-2.30389	10,363 m		
VOLBU	UA614	14.40139	34,000 ft	53	-
FIX	AWY-HI	-2.45139	10,363 m		
TAVOT	UA614	13.08306	34,000 ft	80	-
FIX	AWY-HI	-2.66917	10,363 m		
GUPOV	UA614	12.39778	34,000 ft	41	-
FIX	AWY-HI	-2.78139	10,363 m		
GEBLU	UA614	11.77083	34,000 ft	38	-
FIX	AWY-HI	-2.88361	10,363 m		
BIGOM	UA614	10.53083	34,000 ft	75	-
FIX	AWY-HI	-3.08444	10,363 m		
GUPEX	UA614	7.75861	32,500 ft	168	-
FIX	AWY-HI	-3.52778	9,906 m		
AD	UA614	5.27719	24,500 ft	150	ABIDJAN VOR-DME
VOR	AWY-HI	-3.91931	7,468 m		
DIAP	-	5.26139	0 ft	1	Abidjan Felix Houphouet Boigny Intl
APT	-	-3.92630	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.496 E

METAR

LFPG 120030Z 06007KT CAVOK 17/10 Q1015 NOSIG

TAF

TAF LFPG 112300Z 1200/1306 07005KT CAVOK TX27/1212Z TN12/1205Z BECMG 1211/1213 20015KT SCT025CB TEMPO 1213/1215 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

DIAP

```
Region: CÔTE D'IVOIRE
Timezone: AFRICA/ABIDJAN
Runways: 1
```

Elevation: 20 ft / 6 m
Location: 5.261240 -3.925880
Magnetic Var: 3.997 W

METAR

DIAP 120030Z 03011KT 9999 TS FEW011 BKN036 25/23 Q1012 NOSIG

TAF

TAF DIAP 112300Z 1200/1306 14005KT 9999 SCT012 BKN025 PROB30 TEMPO 1204/1208 4000 TSRA BKN011 FEW020CB PROB40 TEMPO

Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION TWR - 118.10 MHz - ABIDJAN TOWER
APP - 121.10 MHz - ABIDJAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,891 ft	22.34	ASPHALT	0 ft	187 ft
	45 m	3,015 m	26.33		0 m	57 m
21	148 ft	9,891 ft	202.34	ASPHALT	0 ft	328 ft
	45 m	3,015 m	206.33		0 m	100 m

Approach Navais

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm	–	–	24 ft
				33 km	–		24 m
21	LOC-ILS	AN	110.30 MHz	18 nm	202.34	–	20 ft
				33 km	206.34		20 m
21	GS	AN	110.30 MHz	10 nm	202.34	3.00	20 ft
				19 km	206.34		20 m