

VHHH
Hong Kong Intl


CX890

KEWR
Newark Liberty Intl

2024/05/06 0239Z

VHHH OCEAN ENVAR **M750** MOMPA PEXEL PASRO HAMND AMOTT TED ELLAM LETOV HANKK KODEY HNK FLOSI KEWR

7614.63 nm / 14102.30 km



Notes

Requested: VHHH OCEAN V3 ENVAR M750 MOMPA M750 BUNGU Y81 SYOYU Y809 SPEAR Y808 PEXEL A590 PASRO A590 HAMND AMOTT J5
Unmatched points: V3 M750 BUNGU Y81 SYOYU Y809 Y808 A590 A590 J511 NCA20 NCA20 WOZEE Q935 Q140

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH APT	-	22.30899 113.91461	0 ft 0 m	-	Hong Kong Intl
OCEAN FIX	-	21.81194 114.81333	0 ft 0 m	58	-
ENVAR FIX	-	21.99167 117.50000	0 ft 0 m	150	-
DADON FIX	M750 AWY-LO	22.27639 118.00278	0 ft 0 m	32	-
EXTRA FIX	M750 AWY-HI	22.40028 118.21528	0 ft 0 m	13	-
RENOT FIX	M750 AWY-LO	22.56833 118.51222	0 ft 0 m	19	-
TONGA FIX	M750 AWY-HI	23.17750 119.59111	0 ft 0 m	70	-
TOROX FIX	M750 AWY-LO	23.35389 119.90806	0 ft 0 m	20	-
ANLOT FIX	M750 AWY-LO	23.94083 120.52250	0 ft 0 m	48	-
PILOX FIX	M750 AWY-LO	24.41500 121.02472	0 ft 0 m	39	-
SANAS FIX	M750 AWY-LO	24.89694 121.69222	0 ft 0 m	46	-
KUDOS FIX	M750 AWY-HI	25.13139 121.99111	0 ft 0 m	21	-
LEKOS FIX	M750 AWY-LO	25.50750 122.48056	0 ft 0 m	34	-
MORSU FIX	M750 AWY-LO	25.90556 123.00000	0 ft 0 m	36	-
MOLKA FIX	M750 AWY-LO	26.65861 124.00000	0 ft 0 m	70	-
MUMBA FIX	M750 AWY-LO	27.39776 124.99827	0 ft 0 m	69	-
MELEN FIX	M750 AWY-HI	29.52701 127.96575	0 ft 0 m	202	-
MOMPA FIX	M750 AWY-LO	30.84467 129.91583	0 ft 0 m	128	-
PEXEL FIX	-	37.48919 144.54408	0 ft 0 m	827	-
PASRO FIX	-	48.28525 160.67550	0 ft 0 m	957	-
HAMND FIX	-	60.49854 -154.67673	0 ft 0 m	1682	-
AMOTT FIX	-	60.87405 -151.37322	0 ft 0 m	99	-
TED VOR	-	61.16786 -149.96014	0 ft 0 m	44	ANCHORAGE VOR-DME
ELLAM FIX	-	61.37831 -149.33901	0 ft 0 m	21	-
LETOV FIX	-	61.01681 -130.00000	0 ft 0 m	557	-
HANKK FIX	-	42.89495 -77.15422	0 ft 0 m	2157	-
KODEY	-	42.27987	0 ft	70	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-75.78444	0 m		
HNK	-	42.06306	0 ft	24	HANCOCK VOR-DME
VOR	-	-75.31628	0 m		
FLOSI	-	41.54353	0 ft	53	-
FIX	-	-74.33410	0 m		
KEWR	-	40.69363	0 ft	51	Newark Liberty Intl
APT	-	-74.16856	0 m		

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.237 W

METAR

VHHH 060200Z 30005KT 9999 FEW012 27/24 Q1013 NOSIG

TAF

TAF VHHH 060200Z 0603/0709 27010KT 9999 FEW015 TX30/0606Z TX30/0706Z TN26/0622Z TEMPO 0608/0610 4000 SHRA FEW0100

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.02		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

KEWR

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 17 ft / 5 m
Location: 40.693600 -74.168600
Magnetic Var: 12.651 W

METAR

KEWR 060151Z 05003KT 7SM -RA OVC005 12/11 A3015 RMK A02 RAB29 SLP208 P0000 T01220111

TAF

TAF KEWR 052326Z 0600/0706 12008KT 5SM -SHRA BR OVC007 FM060300 16008KT 3SM -SHRA BR OVC005 FM060800 20006KT 3SM B

Frequencies

REC - 115.70 MHz - D-ATIS	REC - 134.82 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.85 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - NEWARK GROUND	GND - 126.15 MHz - NEWARK GROUND
GND - 132.45 MHz - RAMP CONTROL	TWR - 118.30 MHz - NEWARK TOWER
TWR - 134.05 MHz - NEWARK TOWER	APP - 127.60 MHz - NEW YORK APPROACH
APP - 128.55 MHz - NEW YORK APPROACH	APP - 132.70 MHz - NEW YORK APPROACH
APP - 132.80 MHz - NEW YORK APPROACH	DEP - 119.20 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	11,011 ft	25.75	ASPHALT	2,539 ft	610 ft
	46 m	3,356 m	38.40		774 m	186 m
22R	150 ft	11,011 ft	205.76	ASPHALT	1,440 ft	0 ft
	46 m	3,356 m	218.41		439 m	0 m
04R	150 ft	10,009 ft	25.74	ASPHALT	1,191 ft	299 ft
	46 m	3,051 m	38.39		363 m	91 m
22L	150 ft	10,009 ft	205.75	ASPHALT	1,791 ft	0 ft
	46 m	3,051 m	218.40		546 m	0 m
11	150 ft	6,732 ft	95.00	ASPHALT	0 ft	505 ft
	46 m	2,052 m	107.65		0 m	154 m
29	150 ft	6,732 ft	275.02	ASPHALT	223 ft	0 ft
	46 m	2,052 m	287.67		68 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IEWR	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04R	DME	IEZA	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22L	DME	ILSQ	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22R	DME	IJNN	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04L	LOC-ILS	IEWR	110.75 MHz	18 nm	25.76	-	17 ft
				33 km	38.41		17 m
04R	LOC-ILS	IEZA	108.70 MHz	18 nm	25.75	-	17 ft
				33 km	38.40		17 m
11	LOC-ILS	IGPR	109.15 MHz	18 nm	95.01	-	17 ft
				33 km	107.66		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	LOC-ILS	ILSQ	108.70 MHz	18 nm	205.75	-	17 ft
				33 km	218.40		17 m
22R	LOC-ILS	IJNN	110.75 MHz	18 nm	205.76	-	17 ft
				33 km	218.41		17 m
04L	GS	IEWR	110.75 MHz	10 nm	25.76	3.00	17 ft
				19 km	38.41		17 m
04R	GS	IEZA	108.70 MHz	10 nm	25.75	3.00	17 ft
				19 km	38.40		17 m
11	GS	IGPR	109.15 MHz	10 nm	95.01	3.00	17 ft
				19 km	107.66		17 m
22L	GS	ILSQ	108.70 MHz	10 nm	205.75	3.00	17 ft
				19 km	218.40		17 m
22R	GS	IJNN	110.75 MHz	10 nm	205.76	3.00	17 ft
				19 km	218.41		17 m