


2024/05/29 0402Z

KBRL BDF **J26** JOT **J146** CXR **V232** COOBE KIPT

650.02 nm / 1203.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBRL APT	-	40.78369 -91.12572	0 ft 0 m	-	SOUTHEAST IOWA RGNL
BDF VOR	-	41.15972 -89.58786	26,100 ft 7,955 m	73	BRADFORD VORTAC
JOT VOR	J26 AWY-HI	41.54642 -88.31842	35,000 ft 10,668 m	61	JOLIET VORTAC
GIJ VOR	J146 AWY-HI	41.76861 -86.31844	35,000 ft 10,668 m	90	GIPPER VORTAC
PLAIN FIX	J146 AWY-HI	41.77775 -85.20668	35,000 ft 10,668 m	49	-
GERBS FIX	J146 AWY-HI	41.77774 -84.42506	35,000 ft 10,668 m	35	-
IDEAS FIX	J146 AWY-HI	41.77144 -83.55182	35,000 ft 10,668 m	39	-
WOOST FIX	J146 AWY-HI	41.69578 -82.78919	35,000 ft 10,668 m	34	-
CXR70 FIX	J146 AWY-HI	41.68935 -82.70235	35,000 ft 10,668 m	3	-
CXR64 FIX	J146 AWY-HI	41.67538 -82.57011	35,000 ft 10,668 m	5	-
CXR VOR	J146 AWY-HI	41.51694 -81.16319	35,000 ft 10,668 m	63	CHARDON VOR-DME
BARLY FIX	V232 AWY-LO	41.48442 -80.59006	35,000 ft 10,668 m	25	-
HAGAR FIX	V232 AWY-LO	41.46070 -80.25450	32,300 ft 9,845 m	15	-
FKL VOR	V232 AWY-LO	41.43850 -79.85669	28,500 ft 8,687 m	17	FRANKLIN VOR
COOBE FIX	V232 AWY-LO	41.35458 -79.18781	21,900 ft 6,675 m	30	-
KIPT APT	-	41.24204 -76.92098	0 ft 0 m	102	Williamsport Rgnl

KBRL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 698 ft / 213 m
Location: 40.783700 -91.125700
Magnetic Var: 1.565 W

METAR

KBRL 290253Z AUTO 34005KT 10SM CLR 16/09 A3009 RMK A02 SLP188 T01610089 52013

TAF

TAF KBRL 282320Z 2900/2924 33011G21KT P6SM FEW050 FM290100 34008KT P6SM FEW050 FM290300 34005KT P6SM SKC FM291700

Frequencies

REC - 118.02 MHz - ASOS

COM - 123.00 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	6,712 ft	179.55	ASPHALT	1,210 ft	0 ft
	46 m	2,046 m	181.11		369 m	0 m
36	150 ft	6,712 ft	359.55	ASPHALT	0 ft	0 ft
	46 m	2,046 m	1.11		0 m	0 m
12	100 ft	5,343 ft	119.65	CONCRETE	0 ft	0 ft
	30 m	1,628 m	121.21		0 m	0 m
30	100 ft	5,343 ft	299.66	CONCRETE	500 ft	0 ft
	30 m	1,628 m	301.23		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	LOC-ILS	IBRL	108.90 MHz	18 nm	359.54	-	692 ft
				33 km	1.11		692 m
36	GS	IBRL	108.90 MHz	10 nm	0.10	3.00	683 ft
				19 km	1.66		683 m

KIPT

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 529 ft / 161 m
Location: 41.242000 -76.921000
Magnetic Var: 11.367 W

METAR

KIPT 290254Z AUTO 30004KT 10SM FEW040 BKN050 OVC060 16/13 A2989 RMK A02 SLP118 T01610133 53015

TAF

TAF AMD KIPT 290304Z 2903/2924 28005KT P6SM OVC040 FM290600 29002KT 6SM BR BKN025 FM291200 28004KT P6SM BKN040 FM2

Frequencies

REC - 125.22 MHz - ASOS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -

COM - 119.10 MHz - CTAF
CLD - 124.90 MHz - NEW YORK CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	6,461 ft	76.92	ASPHALT	0 ft	0 ft
	46 m	1,969 m	88.29		0 m	0 m
27	150 ft	6,461 ft	256.93	ASPHALT	0 ft	0 ft
	46 m	1,969 m	268.30		0 m	0 m
12	150 ft	4,271 ft	106.02	ASPHALT	0 ft	0 ft
	46 m	1,302 m	117.39		0 m	0 m
30	150 ft	4,271 ft	286.03	ASPHALT	0 ft	0 ft
	46 m	1,302 m	297.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IIPT	110.10 MHz	18 nm	256.91	-	529 ft
				33 km	268.28		529 m
27	GS	IIPT	110.10 MHz	10 nm	257.85	3.00	527 ft
				19 km	269.22		527 m