VHHH
Hong Kong Intl


-

KLAX
Los Angeles Intl

2024/03/29 0547Z

VHHH OCEAN ENVAR **M750** DADON KAGIS 4300N16000E 4600N17000E 4800N18000E 4900N17000W 4900N16000W 4700N15000W 4400N14000W 4000N13000W DACEM PAINT PIRAT KLAX

6413.82 nm / 11878.40 km



Notes

Requested: VHHH OCEAN V3 ENVAR M750 DADON M750 BUNGU Y81 SYOYU Y809 KAGIS OTR11 AVBET OTR9 EMRON 4300N/16000E 4600
Unmatched points: V3 M750 BUNGU Y81 SYOYU Y809 OTR11 AVBET OTR9 EMRON BURGL IRNMN2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH APT	–	22.30899 113.91461	0 ft 0 m	–	Hong Kong Intl
OCEAN FIX	–	21.81194 114.81333	0 ft 0 m	58	–
ENVAR FIX	–	21.99167 117.50000	0 ft 0 m	150	–
DADON FIX	M750 AWY-LO	22.27639 118.00278	0 ft 0 m	32	–
KAGIS FIX	–	35.82025 142.56347	0 ft 0 m	1517	–
4300N16000E LATLON	–	43.00000 160.00000	0 ft 0 m	914	–
4600N17000E LATLON	–	46.00000 170.00000	0 ft 0 m	464	–
4800N18000E LATLON	–	48.00000 -180.00000	0 ft 0 m	426	–
4900N17000W LATLON	–	49.00000 -170.00000	0 ft 0 m	402	–
4900N16000W LATLON	–	49.00000 -160.00000	0 ft 0 m	393	–
4700N15000W LATLON	–	47.00000 -150.00000	0 ft 0 m	419	–
4400N14000W LATLON	–	44.00000 -140.00000	0 ft 0 m	457	–
4000N13000W LATLON	–	40.00000 -130.00000	0 ft 0 m	506	–
DACEM FIX	–	38.46639 -127.00000	0 ft 0 m	167	–
PAINT FIX	–	38.00000 -125.50000	0 ft 0 m	76	–
PIRAT FIX	–	37.25765 -122.86335	0 ft 0 m	133	–
KLAX APT	–	33.94313 -118.40892	0 ft 0 m	294	Los Angeles Intl

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.230 W

METAR

VHHH 290530Z 29006KT 8000 FEW020 28/21 Q1013 NOSIG

TAF

TAF VHHH 290200Z 2903/3009 27010KT 9000 FEW008 SCT030 TX28/2906Z TX29/3006Z TN24/2922Z BECMG 2909/2911 VRB05KT TE

Frequencies

REC - 128.20 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND
TWR - 118.40 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE
APP - 119.35 MHz - HONG KONG APPROACH

REC - 127.05 MHz - D-ATIS
GND - 122.55 MHz - HONG KONG GROUND
TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.70 MHz - HONG KONG TOWER
CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 123.80 MHz - HONG KONG DEPARTURE
APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft 60 m	12,462 ft 3,799 m	70.77 74.00	ASPHALT	554 ft 169 m	974 ft 297 m
25R	197 ft 60 m	12,462 ft 3,799 m	250.79 254.02	ASPHALT	571 ft 174 m	978 ft 298 m
07R	197 ft 60 m	12,463 ft 3,799 m	70.79 74.02	ASPHALT	518 ft 158 m	886 ft 270 m
25L	197 ft 60 m	12,463 ft 3,799 m	250.80 254.03	ASPHALT	0 ft 0 m	981 ft 299 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm 33 km	- -	-	18 ft 18 m
07R	DME	ISR	109.30 MHz	18 nm 33 km	- -	-	19 ft 19 m
25L	DME	IFL	108.90 MHz	18 nm 33 km	- -	-	19 ft 19 m
25R	DME	ITFR	110.90 MHz	18 nm 33 km	- -	-	19 ft 19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm 33 km	70.78 74.01	-	27 ft 27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm 33 km	70.79 74.02	-	27 ft 27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm 33 km	250.79 254.02	-	27 ft 27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm 33 km	250.78 254.01	-	27 ft 27 m
07L	GS	IZSL	111.10 MHz	10 nm 19 km	70.78 74.01	3.00	27 ft 27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.02		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.02		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.01		27 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4
Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.451 E

METAR

KLAX 290453Z 27009KT 10SM FEW050 13/09 A3001 RMK AO2 SLP161 T01280094 $

TAF

KLAX 290255Z 2903/3006 24015KT P6SM FEW012 FM290400 25010KT P6SM BKN250 FM291200 25006KT P6SM BKN100 FM291900 220

Frequencies

COM - 122.95 MHz - UNICOM
GND - 121.75 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER
REC - 135.65 MHz - D-ATIS
APP - 124.30 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH
DEP - 124.30 MHz - SOCAL DEPARTURE
GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 120.95 MHz - LOS ANGELES TOWER
REC - 133.80 MHz - D-ATIS
APP - 124.90 MHz - SOCAL APPROACH
APP - 124.50 MHz - SOCAL APPROACH
DEP - 125.20 MHz - SOCAL DEPARTURE
CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft 61 m	11,106 ft 3,385 m	82.96 71.51	CONCRETE	0 ft 0 m	381 ft 116 m
25L	200 ft 61 m	11,106 ft 3,385 m	262.98 251.53	CONCRETE	0 ft 0 m	381 ft 116 m
07L	151 ft 46 m	12,935 ft 3,943 m	82.95 71.50	CONCRETE	846 ft 258 m	374 ft 114 m
25R	151 ft 46 m	12,935 ft 3,943 m	262.98 251.52	CONCRETE	968 ft 295 m	197 ft 60 m
06R	151 ft 46 m	10,896 ft 3,321 m	82.95 71.50	CONCRETE	551 ft 168 m	384 ft 117 m
24L	151 ft 46 m	10,896 ft 3,321 m	262.97 251.52	CONCRETE	814 ft 248 m	384 ft 117 m
06L	151 ft 46 m	8,936 ft 2,724 m	82.95 71.50	CONCRETE	0 ft 0 m	0 ft 0 m
24R	151 ft 46 m	8,936 ft 2,724 m	262.96 251.51	CONCRETE	0 ft 0 m	285 ft 87 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm 33 km	- -	-	120 ft 120 m
06R	DME	IGPE	111.70 MHz	18 nm 33 km	- -	-	120 ft 120 m
07L	DME	IIAS	111.10 MHz	18 nm 33 km	- -	-	103 ft 103 m
07R	DME	IMKZ	109.90 MHz	18 nm 33 km	- -	-	103 ft 103 m
24L	DME	IHQB	111.70 MHz	18 nm 33 km	- -	-	133 ft 133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	– –	–	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	– –	–	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	– –	–	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.52	–	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.52	–	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.53	–	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.52	–	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.52	–	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.52	–	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.52	–	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.53	–	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.52	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.52	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.53	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.52	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.52	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.52	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.52	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.53	3.00	125 ft 125 m