

EDLP

Paderborn Lippstadt


LEPA

Palma De Mallorca

2024/05/23 2251Z

EDLP LUKAR **Z100** IDARO **Q760** SBN **G21** GTQ **UL47** GIVOR **UN853** IXILU **UL47** PAS **R226** BALSI **UN852** MTG **G7**
MAMES **R852** VERSO LEPA

786.96 nm / 1457.45 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 42000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDLP	-	51.61417	0 ft	-	Paderborn Lippstadt
APT	-	8.61634	0 m		
LUKAR	-	50.03194	35,000 ft	106	-
FIX	-	7.36639	10,668 m		
HAN	Z100	49.96488	35,000 ft	5	HAHN NDB
NDB	AWY-LO	7.28088	10,668 m		
IDARO	Z100	49.70694	35,000 ft	19	-
FIX	AWY-LO	6.95528	10,668 m		
TOLEY	Q760	49.50667	35,000 ft	12	-
FIX	AWY-LO	7.02056	10,668 m		
MAPIG	Q760	49.44806	35,000 ft	3	-
FIX	AWY-LO	7.03944	10,668 m		
TOMPI	Q760	49.39200	35,000 ft	3	-
FIX	AWY-LO	7.05750	10,668 m		
SBN	Q760	49.21885	35,000 ft	10	SAARBRUCKEN NDB
NDB	AWY-LO	7.11834	10,668 m		
MAKOT	G21	49.17222	35,000 ft	4	-
FIX	AWY-LO	7.03944	10,668 m		
GTQ	G21	48.98644	35,000 ft	16	GROSTENQUIN VOR-DME
VOR	AWY-LO	6.71622	10,668 m		
GIVOR	UL47	48.65861	35,000 ft	23	-
FIX	AWY-HI	6.39139	10,668 m		
IXILU	UN853	47.74028	35,000 ft	56	-
FIX	AWY-HI	6.04139	10,668 m		
PENDU	UL47	47.34889	35,000 ft	23	-
FIX	AWY-HI	6.03278	10,668 m		
ARBOS	UL47	46.98417	35,000 ft	21	-
FIX	AWY-HI	6.02639	10,668 m		
SIROD	UL47	46.72694	35,000 ft	15	-
FIX	AWY-HI	6.01944	10,668 m		
MOREG	UL47	46.39306	35,000 ft	20	-
FIX	AWY-HI	6.00722	10,668 m		
PAS	UL47	46.16369	35,000 ft	13	PASSEIRY VOR-DME
VOR	AWY-HI	5.99992	10,668 m		
BALSI	R226	45.47750	35,000 ft	41	-
FIX	AWY-LO	5.96083	10,668 m		
KOTIT	UN852	44.60250	35,000 ft	53	-
FIX	AWY-HI	5.69083	10,668 m		
RETNO	UN852	44.38000	35,000 ft	13	-
FIX	AWY-HI	5.62361	10,668 m		
GIROL	UN852	44.07139	35,000 ft	19	-
FIX	AWY-HI	5.45472	10,668 m		
MTG	UN852	43.38631	35,000 ft	44	MARTIGUES VOR-DME
VOR	AWY-HI	5.08683	10,668 m		
DIVKO	G7	43.05611	35,000 ft	24	-
FIX	AWY-LO	4.77694	10,668 m		
MAMES	G7	42.20917	35,000 ft	61	-
FIX	AWY-LO	4.00028	10,668 m		
PIVUS	R852	41.92390	32,900 ft	17	-
FIX	AWY-LO	3.93375	10,028 m		
MAROT	R852	41.60567	28,800 ft	19	-
FIX	AWY-LO	3.86024	8,778 m		
VERSO	R852	41.15298	22,900 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	3.75693	6,980 m		
LEPA	-	39.55254	0 ft	106	Palma De Mallorca
APT	-	2.73496	0 m		

EDLP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 699 ft / 213 m
Location: 51.614100 8.616320
Magnetic Var: 3.227 E

METAR

EDLP 232220Z 16003KT 060V190 CAVOK 12/10 Q1017

TAF

TAF EDLP 231700Z 2318/2418 VRB02KT CAVOK TEMPO 2409/2418 SHRA BKN015CB BECMG 2410/2412 03005KT PROB30 TEMPO 2410/

Frequencies

REC - 125.72 MHz - PADERBORN ATIS
TWR - 133.37 MHz - PADERBORN TOWER

GND - 121.92 MHz - PADERBORN GROUND
APP - 125.22 MHz - PADERBORN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,159 ft	56.72	ASPHALT	0 ft	1,063 ft
	45 m	2,182 m	53.49		0 m	324 m
24	148 ft	7,159 ft	236.74	ASPHALT	0 ft	384 ft
	45 m	2,182 m	233.51		0 m	117 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IPLE	111.70 MHz	18 nm	56.73	-	699 ft
				33 km	53.50		699 m
24	LOC-ILS	IPLW	108.55 MHz	18 nm	236.73	-	699 ft
				33 km	233.50		699 m
06	GS	IPLE	111.70 MHz	10 nm	56.73	3.00	699 ft
				19 km	53.50		699 m
24	GS	IPLW	108.55 MHz	10 nm	236.73	3.00	699 ft
				19 km	233.50		699 m

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.682 E

METAR

LEPA 232230Z 07006KT 9999 FEW025 18/16 Q1017 NOSIG

TAF

TAF AMD LEPA 231808Z 2318/2418 28008KT 9999 FEW020 TX27/2412Z TN15/2406Z BECMG 2319/2321 06009KT TEMPO 2415/2418

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.80		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m