

YSSY
Sydney Intl


—

KJFK
John F Kennedy Intl

2024/05/12 1924Z

YSSY SHAZA VIRAR PUPEX TEPEK BAXIL GOBIN WOoby WACOS WOSLU WAYSE WINTY CAMOS BALKS AFONE WEDES
FICKY LAX GLACO COCAN RYLIE JUDGE VHP MOTTS PIZZA ROSCO COFAX DUMMR SULOY CIMBL JEVNI KJFK

8677.21 nm / 16070.20 km



Notes

Requested: YSSY SHAZA VIRAR PUPEX TEPEK BAXIL GOBIN WOoby WACOS WOSLU WAYSE WINTY CAMOS BALKS AFONE WEDES FICKY LA

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YSSY	-	-33.94927	0 ft	-	Sydney Intl
APT	-	151.18135	0 m		
SHAZA	-	-33.66103	0 ft	45	-
FIX	-	152.01508	0 m		
VIRAR	-	-24.79333	0 ft	979	-
FIX	-	167.74167	0 m		
PUPEX	-	-22.10000	0 ft	266	-
FIX	-	171.58833	0 m		
TEPEK	-	-18.72167	0 ft	322	-
FIX	-	176.05333	0 m		
BAXIL	-	-13.02111	0 ft	527	-
FIX	-	-176.99806	0 m		
GOBIN	-	-9.46444	0 ft	320	-
FIX	-	-172.93833	0 m		
WOOPY	-	-5.00000	0 ft	397	-
FIX	-	-168.02000	0 m		
WACOS	-	-1.27056	0 ft	329	-
FIX	-	-164.00000	0 m		
WOSLU	-	5.00000	0 ft	552	-
FIX	-	-157.25167	0 m		
WAYSE	-	8.13500	0 ft	278	-
FIX	-	-153.82222	0 m		
WINTY	-	11.53333	0 ft	304	-
FIX	-	-150.00000	0 m		
CAMOS	-	14.88806	0 ft	305	-
FIX	-	-146.07167	0 m		
BALKS	-	20.22833	0 ft	500	-
FIX	-	-139.35361	0 m		
AFONE	-	25.30000	0 ft	501	-
FIX	-	-132.16167	0 m		
WEDES	-	30.66806	0 ft	577	-
FIX	-	-123.12444	0 m		
FICKY	-	31.55761	0 ft	103	-
FIX	-	-121.39180	0 m		
LAX	-	33.93314	0 ft	206	LOS ANGELES VORTAC
VOR	-	-118.43200	0 m		
GLACO	-	34.94446	0 ft	136	-
FIX	-	-115.96759	0 m		
COCAN	-	36.31252	0 ft	286	-
FIX	-	-110.35197	0 m		
RYLIE	-	38.33731	0 ft	424	-
FIX	-	-101.82748	0 m		
JUDGE	-	39.01978	0 ft	233	-
FIX	-	-96.91884	0 m		
VHP	-	39.81472	0 ft	491	BRICKYARD VORTAC
VOR	-	-86.36747	0 m		
MOTTS	-	39.95201	0 ft	60	-
FIX	-	-85.06427	0 m		
PIZZA	-	40.09945	0 ft	80	-
FIX	-	-83.32859	0 m		
ROSCO	-	40.19333	0 ft	60	-
FIX	-	-82.00647	0 m		
COFAX	-	40.31298	0 ft	185	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-77.96694	0 m		
DUMMR	-	40.46963	0 ft	85	-
FIX	-	-76.11116	0 m		
SULOY	-	40.86592	0 ft	81	-
FIX	-	-74.40894	0 m		
CIMBL	-	40.75055	0 ft	19	-
FIX	-	-74.01216	0 m		
JEVNI	-	40.66315	0 ft	10	-
FIX	-	-73.80212	0 m		
KJFK	-	40.63990	0 ft	1	John F Kennedy Intl
APT	-	-73.77666	0 m		

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.672 E

METAR

YSSY 121900Z AUTO 23013KT 9999 -SHRA BKN025 BKN036 OVC065 16/15 Q1017 RESHRA

TAF

TAF AMD YSSY 121815Z 1218/1400 25012KT 9999 -SHRA SCT010 BKN020 BECMG 1222/1300 20017G27KT 9999 -SHRA SCT025 FM1300

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 121851Z 15006KT 10SM FEW025 BKN080 BKN200 BKN250 12/07 A2993 RMK A02 SLP134 T01220067

TAF

TAF KJFK 121720Z 1218/1324 15008KT P6SM BKN018 FM122000 19006KT P6SM SCT030 BKN100 TEMPO 1220/1221 BKN025 FM130300

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m