EDLV
NIEDERRHEIN


-

LICJ
PALERMO

2024/03/28 1146Z

EDLV ROLIS **T881** RIDSU **UL607** ALGOI **UM738** VALEN **UZ805** BOL **UN737** ROTUN **UM727** CORAD LICJ

875.70 nm / 1621.79 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDLV APT	–	51.60246 6.14213	0 ft 0 m	–	NIEDERRHEIN
ROLIS FIX	–	50.43500 7.82533	33,800 ft 10,302 m	94	–
RIDSU FIX	T881 AWY-HI	49.74889 8.48000	35,000 ft 10,668 m	48	–
ABUKA FIX	UL607 AWY-HI	49.46528 8.67917	35,000 ft 10,668 m	18	–
SUNEG FIX	UL607 AWY-HI	49.19861 8.86417	35,000 ft 10,668 m	17	–
TGO VOR	UL607 AWY-HI	48.61841 9.25921	35,000 ft 10,668 m	38	TANGO VORTAC
AMEMI FIX	UL607 AWY-HI	47.89472 10.16722	35,000 ft 10,668 m	56	–
KPT VOR	UL607 AWY-HI	47.74583 10.34972	35,000 ft 10,668 m	11	KEMPTEN VOR-DME
ALGOI FIX	UL607 AWY-HI	47.44743 10.48867	35,000 ft 10,668 m	18	–
PITAR FIX	UM738 AWY-HI	47.02917 10.68056	35,000 ft 10,668 m	26	–
GIMOS FIX	UM738 AWY-HI	46.83711 10.72836	35,000 ft 10,668 m	11	–
RENTA FIX	UM738 AWY-HI	46.30556 10.86361	35,000 ft 10,668 m	32	–
ADOSA FIX	UM738 AWY-HI	45.64444 11.02639	35,000 ft 10,668 m	40	–
OSTEG FIX	UM738 AWY-HI	45.17861 11.13889	35,000 ft 10,668 m	28	–
KREVA FIX	UM738 AWY-HI	44.77444 11.23500	35,000 ft 10,668 m	24	–
BOA VOR	UM738 AWY-HI	44.53694 11.29055	35,000 ft 10,668 m	14	BOLOGNA VOR-DME
VALEN FIX	UM738 AWY-HI	43.93722 11.53306	35,000 ft 10,668 m	37	–
BUKIN FIX	UZ805 AWY-HI	43.67694 11.63667	35,000 ft 10,668 m	16	–
IXUSI FIX	UZ805 AWY-HI	43.43861 11.73083	35,000 ft 10,668 m	14	–
BOL VOR	UZ805 AWY-HI	42.61833 12.04861	35,000 ft 10,668 m	51	BOLSENA VORTAC
OST VOR	UN737 AWY-HI	41.80388 12.23750	35,000 ft 10,668 m	49	OSTIA VOR-DME
ROTUN FIX	UN737 AWY-HI	40.88333 12.30556	35,000 ft 10,668 m	55	–
CORAD FIX	UM727 AWY-HI	39.75694 12.38528	21,500 ft 6,553 m	67	–
LICJ APT	–	38.17738 13.09704	0 ft 0 m	100	PALERMO

EDLV

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 105 ft / 32 m
Location: 51.602400 6.142130
Magnetic Var: 2.471 E

METAR

EDLV 281120Z 24007KT 9000 -RA SCT010 OVC015 08/07 Q0986

TAF

TAF EDLV 280500Z 2806/2906 15011KT 9999 BKN030 PROB30 TEMPO 2807/2810 RA BECMG 2808/2811 22015G25KT TEMPO 2810/28

Frequencies

REC - 124.45 MHz - ATIS
APP - 128.50 MHz - LANGEN RADAR

TWR - 129.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	7,982 ft 2,433 m	92.12 89.64	ASPHALT	0 ft 0 m	902 ft 275 m
27	148 ft 45 m	7,982 ft 2,433 m	272.14 269.67	ASPHALT	0 ft 0 m	902 ft 275 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	INIW	110.70 MHz	18 nm 33 km	272.13 269.66	-	105 ft 105 m
27	GS	INIW	110.70 MHz	10 nm 19 km	272.13 269.66	3.00	105 ft 105 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.563 E

METAR

LICJ 281120Z 20021KT CAVOK 22/08 Q1014

TAF

TAF LICJ 280500Z 2806/2906 21015KT 9999 SCT030 TEMPO 2809/2815 22018G28KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft 45 m	6,791 ft 2,070 m	23.79 20.23	ASPHALT	0 ft 0 m	0 ft 0 m
20	148 ft 45 m	6,791 ft 2,070 m	203.80 200.24	ASPHALT	0 ft 0 m	0 ft 0 m
07	197 ft 60 m	10,922 ft 3,329 m	66.82 63.26	ASPHALT	404 ft 123 m	577 ft 176 m
25	197 ft 60 m	10,922 ft 3,329 m	246.84 243.28	ASPHALT	669 ft 204 m	302 ft 92 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm 33 km	- -	-	38 ft 38 m
25	DME	RAI	109.50 MHz	18 nm 33 km	- -	-	65 ft 65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm 33 km	203.92 200.36	-	64 ft 64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm 33 km	246.80 243.24	-	64 ft 64 m
20	GS	ITO	110.55 MHz	10 nm 19 km	203.92 200.36	3.00	64 ft 64 m
25	GS	RAI	109.50 MHz	10 nm 19 km	246.80 243.24	3.00	64 ft 64 m